



US00D756524S

(12) **United States Design Patent**
Zhang

(10) **Patent No.:** **US D756,524 S**
(45) **Date of Patent:** **** May 17, 2016**

- (54) **PROTECTIVE COVER FOR A SUBDERMAL NEEDLE ELECTRODE CABLE ASSEMBLY**
- (71) Applicant: **Xialing Zhang**, Mountain View, CA (US)
- (72) Inventor: **Xialing Zhang**, Mountain View, CA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/462,455**
- (22) Filed: **Aug. 5, 2013**
- (51) **LOC (10) Cl.** **24-01**
- (52) **U.S. Cl.**
USPC **D24/187**
- (58) **Field of Classification Search**
USPC D24/186-187, 112, 169, 170, 189, 231, D24/130, 138; D8/354, 356, 382; 174/152-153; 606/303; 379/438; 411/15, 18, 913, 182; 600/373, 377, 600/544; 604/115, 506; 439/587; 285/45; 206/216; D12/114; D10/57; D19/196, D19/204
CPC .. A61B 5/6848; A61B 5/0492; A61B 5/0478; A61B 5/04; A61B 18/1492; H02G 71/00; A61K 9/0019; F16B 21/076; E16B 37/043; E16B 37/005; E16B 5/0258
See application file for complete search history.

- 5,593,262 A * 1/1997 Gedeon F16B 37/043 411/182
- D406,748 S * 3/1999 Byrne D8/356
- D409,475 S * 5/1999 Byrne D8/356
- D418,222 S * 12/1999 Pellow D24/112
- D460,821 S * 7/2002 Morrell D24/138
- D464,873 S * 10/2002 Nemoto D8/382
- D500,134 S * 12/2004 Banks D24/138
- D501,877 S * 2/2005 Granick D19/186
- 7,008,159 B2 * 3/2006 Dendo F16B 5/0258 411/182
- D524,372 S * 7/2006 Granick D19/204
- D529,793 S * 10/2006 Kuroda D8/382
- D620,107 S * 7/2010 Bartlett D24/112
- D635,668 S * 4/2011 Bartlett D24/112
- D641,609 S * 7/2011 Yagame D8/354
- D647,387 S * 10/2011 Pawluk D8/356
- 8,079,982 B1 * 12/2011 Ponzi A61B 18/1492 604/115
- D652,918 S * 1/2012 Egli D24/130
- D693,003 S * 11/2013 Wang D24/130
- D694,881 S * 12/2013 Gonzales D24/130
- D696,574 S * 12/2013 Caterinacci D8/382
- D703,587 S * 4/2014 Wen D12/114
- D707,532 S * 6/2014 Stangl D8/356
- 2008/0171948 A1 * 7/2008 Broder A61B 5/6848 600/544
- 2009/0036765 A1 * 2/2009 Espenhain A61B 5/0492 600/373
- 2011/0105876 A1 * 5/2011 Zhang A61B 5/0478 600/373
- 2011/0218416 A1 * 9/2011 Lauer A61B 5/04 600/377
- 2015/0126842 A1 * 5/2015 Padalino A61B 5/0492 600/377
- 2015/0258120 A1 * 9/2015 Zarnitsyn A61K 9/0019 604/506



(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,869,958 A * 3/1975 Murayama F16B 21/076 411/15
- 3,933,076 A * 1/1976 Tanaka F16B 37/043 411/15
- D252,104 S * 6/1979 Nagy D10/57
- 4,743,152 A * 5/1988 Nakayama F16B 37/005 411/182
- D296,761 S * 7/1988 Mockett 379/438
- D297,570 S * 9/1988 Ambrose D24/130
- D336,132 S * 6/1993 Pierce D24/130
- D364,084 S * 11/1995 Yaich D8/356
- D370,622 S * 6/1996 Byrne D8/356

OTHER PUBLICATIONS

- <http://www.flythelhelmet.com/pages/hp/hpitempage/hgup141.htm>. Flythelhelmet.com webpage for HGUP141 Grommet Set dated by Internet Archive 9 times between Jun. 14, 2003 and Aug. 8, 2009 as seen on https://web.archive.org/web/*/http://www.flythelhelmet.com/pages/hp/hpitempage/hgup141.htm.*
- <http://fepatex.com/oval-eyelets-tourniquets>. Fepatex.com webpage for Oval Eyelets and Tourniquets dated by Internet Archive 3 times between May 3, 2012 and Jul. 4, 2012 as seen on https://web.archive.org/web/*/http://fepatex.com/oval-eyelets-tourniquets.*
- <http://www.steelerubber.com/fuel-line-grommet-30-0045-41>. Steel Rubber Products webpage for Fuel Line Grommet. Copyright © 1994-2015.*
- <http://www.gibson-barnes.com/prod-294486/Hgu84-Oblong-Grommet.html>. Gibson & Barnes Premiere Outfitters webpage for



HGU-84 Oblong Grommet. The Grommet is a replacement part for an older model U.S Helicopter Pilot Helmet.*

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Mark Cavanna

(74) *Attorney, Agent, or Firm* — David O. Simmons

(57) **CLAIM**

The ornamental design for a protective cover for a subdermal needle electrode cable assembly, as shown and described.

DESCRIPTION

FIG. 1 is a front top perspective view of a protective cover for a subdermal needle electrode cable assembly in accordance with a first embodiment of the present invention with a cable portion of the subdermal needle electrode cable assembly shown for environmental context;

FIG. 2 is a front top perspective view of the protective cover shown in FIG. 1, wherein a front bottom view of the protective cover shown in FIG. 1 is a mirror image of FIG. 2;

FIG. 3 is a rear top perspective view of protective cover shown in FIG. 1, wherein a rear bottom view of the protective cover shown in FIG. 1 is a mirror image of FIG. 3;

FIG. 4 is a top view of the protective cover shown in FIG. 1, wherein a bottom view of the protective cover shown in FIG. 1 is a mirror image of FIG. 4;

FIG. 5 is a left side view of the protective cover shown in FIG. 1, wherein a right side view of the protective cover shown in FIG. 1 is a mirror image of FIG. 5;

FIG. 6 is a front end face view of the protective cover shown in FIG. 1, wherein a front end face hole is shown extending through a front end wall of the protective cover shown in FIG. 1;

FIG. 7 is a rear end face view of the protective cover shown in FIG. 1, wherein a rear end face hole is shown extending through a rear end wall of the protective cover shown in FIG. 1;

FIG. 8 is a rear top perspective view of a protective cover for a subdermal needle electrode cable assembly in accordance

with a second embodiment of the present invention, wherein a front top perspective view, a front bottom perspective view, a top view, a bottom view, a left side view and a right side view of the protective cover shown in FIG. 8 are each the same as a corresponding one of the front top perspective view, the front bottom perspective view, the top view, the bottom view, the left side view and the right side view shown and/or described in reference to FIGS. 1, 2, 4 and 5;

FIG. 9 is a front end face view of the protective cover shown in FIG. 8, wherein a front end face hole is shown extending through a front end wall of the protective cover shown in FIG. 8;

FIG. 10 is a rear end face view of the protective cover shown in FIG. 8, wherein a rear end face hole is shown extending through a rear end wall of the protective cover shown in FIG. 8;

FIG. 11 is a rear top perspective view of a protective cover for a subdermal needle electrode cable assembly in accordance with a third embodiment of the present invention, wherein a front top perspective view, a front bottom perspective view, a top view, a bottom view, a left side view and a right side view of the protective cover shown in FIG. 11 are each the same as a corresponding one of the front top perspective view, the front bottom perspective view, the top view, the bottom view, the left side view and the right side view shown and/or described in reference to FIGS. 1, 2, 4 and 5;

FIG. 12 is a front end face view of the protective cover shown in FIG. 11, wherein a front end face hole is shown extending through a front end wall of the protective cover shown in FIG. 11; and,

FIG. 13 is a rear end face view of the protective cover shown in FIG. 11, wherein a rear end face hole is shown extending through a rear end wall of the protective cover shown in FIG. 11.

The broken lines showing the cable portion of the subdermal needle electrode cable assembly in FIG. 1 and the broken lines of the protective cover in FIGS. 1-13 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

