



US00D756726S

(12) **United States Design Patent**
Packer

(10) **Patent No.:** **US D756,726 S**

(45) **Date of Patent:** **** May 24, 2016**

(54) **BATTERY OPERATED HEATED SNOW SHOVEL WITH A COMBINED RIGHT AND LEFT HANDED HANDLE**

(71) Applicant: **Sally Packer**, Niwot, CO (US)

(72) Inventor: **Sally Packer**, Niwot, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/474,203**

(22) Filed: **Jul. 10, 2014**

(51) **LOC (10) Cl.** **08-01**

(52) **U.S. Cl.**
USPC **D8/10**

(58) **Field of Classification Search**
USPC D8/10, 11; D21/532
CPC E01H 5/02; E01H 5/104; E01H 5/10;
E01H 5/12; E01H 5/00; B60S 1/04
See application file for complete search history.

D392,521	S	*	3/1998	Tisbo et al.	D8/10
D424,895	S	*	5/2000	Sanazaro	D8/10
D442,445	S	*	5/2001	Morgan	D8/10
D477,755	S	*	7/2003	Markley	D8/10
7,059,643	B1	*	6/2006	Ghent	294/60
D564,846	S		3/2008	Kopp		
D600,983	S		9/2009	Jones		
D626,388	S		11/2010	Greenly et al.		
2007/0145756	A1	*	6/2007	DeWinter	294/54.5
2011/0139763	A1		6/2011	Glassman		

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Ieisha Price

(74) *Attorney, Agent, or Firm* — Suzanne Kikel, Patent Agent

(57) **CLAIM**

The ornamental design for a battery operated heated snow shovel with a combined right and left handed handle, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the battery operated heated snow shovel with a combined right and left handed handle.

FIG. 2 is a front elevational view thereof.

FIG. 3 is a rear elevational view thereof.

FIG. 4 is a right side view thereof.

FIG. 5 is a left side view thereof.

FIG. 6 is an enlarged top plan view thereof; and,


FIG. 7 is an enlarged bottom plan view thereof.

1 Claim, 6 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

768,923	A		8/1904	Wiedersheim		
1,517,341	A	*	12/1924	Bulger	294/54.5
2,699,614	A		1/1955	Welch		
3,177,026	A	*	4/1965	Cowan	294/54.5
D213,630	S	*	3/1969	Hoxie	D8/10
4,034,489	A		7/1977	Hughes, Jr.		
4,149,744	A	*	4/1979	Bonnes	294/54.5
4,280,727	A	*	7/1981	Germain	294/54.5
D304,666	S	*	11/1989	Rogers	D8/10
5,039,151	A	*	8/1991	Davis	294/54.5
D390,431	S	*	2/1998	Whitehead et al.	D8/10






FIG. 1




FIG. 2




FIG. 3




FIG.4



FIG.5




FIG. 6




FIG. 7