



US00D756866S

(12) **United States Design Patent**
Tachiiri et al.

(10) **Patent No.:** **US D756,866 S**
(45) **Date of Patent:** **** May 24, 2016**

(54) **OPERATION DEVICE FOR VEHICLE EQUIPMENT**

(71) Applicant: **DENSO CORPORATION**, Kariya, Aichi-pref. (JP)
(72) Inventors: **Motoki Tachiiri**, Nagoya (JP); **Yasuhiko Yamazaki**, Nagoya (JP)
(73) Assignee: **DENSO CORPORATION**, Kariya, Aichi-pref. (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/489,179**

(22) Filed: **Apr. 28, 2014**

(30) **Foreign Application Priority Data**

Nov. 18, 2013 (JP) 2013-026936
Nov. 18, 2013 (JP) 2013-026937

(51) **LOC (10) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/179**

(58) **Field of Classification Search**
USPC D12/174, 179, 400, 606; D14/117.1, D14/117.2, 117.4, 117.9, 412-416, 302; D21/324, 328, 333, 565, 566; D8/303; 74/335, 473.1, 473 R, 475, 489, 502.2, 74/523, 551.8, 551.9; 200/43.17, 61.28, 200/61.91; 340/426.16, 456, 825.69, 340/825.72; 341/173
CPC B60K 37/06; F16H 59/08; F16H 61/30
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,932,868 A * 1/1976 Saitou 340/393.2
D340,042 S * 10/1993 Copper et al. D14/388

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/469,327, filed Oct. 9, 2013, Tachiiri et al.

(Continued)

Primary Examiner — Philip S Hyder
Assistant Examiner — Darlington Ly
(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**

The ornamental design for an operation device for vehicle equipment, as shown and described.


DESCRIPTION

FIG. 1 is a front elevation view of the operation device for a vehicle equipment showing our new design;
FIG. 2 is a rear elevation view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left-side elevation view thereof;
FIG. 6 is a right-side elevation view thereof;
FIG. 7 is a front, bottom and right-side perspective view thereof;
FIG. 8 is a front, top and right-side perspective view thereof; and
FIG. 9 is a front, top and left-side perspective view thereof, wherein the operation device is shown attached to a vehicle.
FIG. 10 is a front elevation view of a portion of the operation device for a vehicle equipment showing our new design;
FIG. 11 is a rear elevation view thereof;
FIG. 12 is a top plan view thereof;
FIG. 13 is a bottom plan view thereof;
FIG. 14 is a left-side elevation view thereof;
FIG. 15 is a right-side elevation view thereof; and,
FIG. 16 is a front, bottom and right-side perspective view thereof.

The article of the present design relates to a part for an operation device for a vehicle equipment. For example, the operation device may be attached to a predetermined portion of a vehicle, and may be used for remotely operating a vehicle equipment such as a navigation device, an air conditioner, various audio devices or the like. As an example, the operation device may be attached to a console of the vehicle, as shown in FIG. 9.

The uniform broken lines shown in the drawings illustrate environmental subject matter of a portion of a vehicle and portions of the operation device for vehicle equipment that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,571,663 B2 * 8/2009 Vigil 74/473.3
D618,145 S * 6/2010 Tupinier D12/179
D618,334 S * 6/2010 Le et al. D24/108
D631,409 S * 1/2011 Mack et al. D12/179
D656,438 S * 3/2012 Klatt et al. D12/179
D659,765 S * 5/2012 Taniguchi et al. D21/333

D688,313 S * 8/2013 Brunner et al. D21/333
D691,217 S * 10/2013 Condon et al. D21/566
D716,768 S * 11/2014 Lee et al. D14/218
D723,436 S * 3/2015 Mihashi D12/179
D734,226 S * 7/2015 Tachiiri et al. D12/179

OTHER PUBLICATIONS

U.S. Appl. No. 29/469,321, filed Oct. 9, 2013, Tachiiri et al.

* cited by examiner

FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6




FIG - 7





FIG - 8






FIG - 9

FIG - 10




FIG - 11




FIG - 12




FIG - 13




FIG - 14




FIG - 15




FIG - 16

