



US00D756878S

(12) **United States Design Patent**  
**Valencia Pollex**

(10) **Patent No.:** **US D756,878 S**

(45) **Date of Patent:** **\*\* May 24, 2016**

(54) **VEHICLE WHEEL RIM**

(71) Applicant: **AUDI AG**, Ingolstadt (DE)

(72) Inventor: **Andreas Valencia Pollex**, Ingolstadt (DE)

(73) Assignee: **AUDI AG**, Ingolstadt (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/521,186**

(22) Filed: **Mar. 20, 2015**

(30) **Foreign Application Priority Data**

Sep. 22, 2014 (EM) ..... 002 542 191-0002

(51) **LOC (10) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/209**

(58) **Field of Classification Search**  
USPC ..... D12/204-213  
CPC ..... B60B 7/00; B60B 7/02; B60B 7/04;  
B60B 7/01; B60B 7/06; B60B 3/02; B60B  
3/04; B60B 3/06; B60B 3/10; B60B 1/00;  
B60B 1/08; B60B 1/10; B60B 1/12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D569,322 S \* 5/2008 Scheu ..... D12/211  
D588,517 S \* 3/2009 Aroney ..... D12/211

D590,322 S \* 4/2009 Rak ..... D12/211  
D626,051 S \* 10/2010 Fisker ..... D12/209  
D655,657 S \* 3/2012 Juergens ..... D12/209  
D660,767 S \* 5/2012 von Holzhausen ..... D12/209  
D666,958 S \* 9/2012 Suzuki ..... D12/211  
D669,833 S \* 10/2012 Pollmann ..... D12/209  
D683,681 S \* 6/2013 Juergens ..... D12/209  
D686,132 S \* 7/2013 Truebsbach ..... D12/209  
D691,081 S \* 10/2013 Watkin ..... D12/211  
D695,186 S \* 12/2013 Pollmann ..... D12/209  
D695,668 S \* 12/2013 Juergens ..... D12/209  
D697,861 S \* 1/2014 Lemke ..... D12/211  
D706,194 S \* 6/2014 Hanaoka ..... D12/209  
D710,286 S \* 8/2014 Yamaguchi ..... D12/209  
D713,315 S \* 9/2014 Juergens ..... D12/209  
D726,628 S \* 4/2015 Kong ..... D12/211  
D729,138 S \* 5/2015 Davidson ..... D12/209  
D730,799 S \* 6/2015 Hans ..... D12/209  
D746,212 S \* 12/2015 Valencia Pollex ..... D12/211

\* cited by examiner

*Primary Examiner* — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP;  
Klaus P. Stoffel

(57) **CLAIM**

The ornamental design for a vehicle wheel rim, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the vehicle wheel rim of the present invention; and,  
FIG. 2 is a front, side perspective view thereof.

**1 Claim, 2 Drawing Sheets**





**Fig. 1**



**Fig. 2**