



US00D756954S

(12) **United States Design Patent**
Hosoda

(10) **Patent No.:** **US D756,954 S**
(45) **Date of Patent:** **** May 24, 2016**

(54) **WEARABLE PLAYER**

(71) Applicant: **Sony Corporation**, Tokyo (JP)
(72) Inventor: **Yasuhide Hosoda**, Kanagawa (JP)

(73) Assignee: **Sony Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/507,892**

(22) Filed: **Oct. 31, 2014**

(30) **Foreign Application Priority Data**

Sep. 1, 2014 (CN) 2014 3 0320217
Sep. 2, 2014 (JP) D2014-019340
Sep. 2, 2014 (JP) D2014-019341

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/203.5**

(58) **Field of Classification Search**
USPC D14/371, 381, 382, 496, 125, 203.1,
D14/293.5; D26/38, 39; D29/102-107;
D16/900; 345/7, 8, 9, 905; 348/53,
348/115, 121, 838, 744, 745, 788; 359/407,
359/431, 443, 480, 630-633; 351/159.75
CPC G02C 1/00; G02C 5/14; G06F 3/01;
G09G 3/02; G09G 5/00; G02B 27/00; G02B
27/01

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,971,429 A * 11/1990 Ishido G02B 23/18
359/409
D352,046 S * 11/1994 Kataoka D16/130
D370,909 S * 6/1996 Oikawa D14/372
D375,495 S * 11/1996 MacInnes D14/372
D383,455 S * 9/1997 MacInnes D14/372

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1384727 S 4/2010
JP D1424790 S 10/2011
JP D1498890 S 6/2014

OTHER PUBLICATIONS

Web page, AV Watch, http://av.watch.impress.co.jp/docs/news/20110316_433003.html, Mar. 16, 2011, 7 pages, Impress Corporation, Japan.

Primary Examiner — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP


(57) **CLAIM**

The ornamental design for a wearable player, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, right perspective view of a first embodiment of a wearable player showing my new design; FIG. 2 is a rear, top, left perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a top plan view thereof; and FIG. 8 is a bottom plan view thereof. FIG. 9 is a front, top, right perspective view of a second embodiment of a wearable player showing my new design; FIG. 10 is a rear, top, left perspective view thereof; FIG. 11 is a front elevational view thereof; FIG. 12 is a rear elevational view thereof; FIG. 13 is a left side elevational view thereof; FIG. 14 is a right side elevational view thereof; FIG. 15 is a top plan view thereof; and, FIG. 16 is a bottom plan view thereof. Broken lines illustrate unclaimed portions of the wearable player and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,774,096 A * 6/1998 Usuki G02B 7/12
340/980
5,844,530 A * 12/1998 Tosaki G02B 27/017
345/7
D444,155 S * 6/2001 Morooka D14/496
D461,486 S 8/2002 Katagiri et al.
D621,866 S 8/2010 Yang
D634,350 S 3/2011 Yang

D688,295 S 8/2013 Sheldon
D694,313 S 11/2013 Mage
D700,160 S * 2/2014 Fisher D14/138 R
8,696,113 B2 * 4/2014 Lewis G06F 3/011
345/8
D721,737 S * 1/2015 Ahn D14/240
8,964,298 B2 * 2/2015 Haddick G06F 3/013
359/630
9,033,493 B2 * 5/2015 Howell G02C 5/143
351/158

* cited by examiner

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7



FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG. 16

