

US00D757581S

(12) **United States Design Patent**  
**Hosoda et al.**

(10) **Patent No.:** **US D757,581 S**  
(45) **Date of Patent:** **\*\* May 31, 2016**

(54) **VIBRATION SENSOR ATTACHMENT**

(71) Applicant: **Sony Corporation**, Tokyo (JP)

(72) Inventors: **Yasuhide Hosoda**, Kanagawa (JP);  
**Shinji Yamamura**, Chiba (JP);  
**Tatsuhiko Obara**, Chiba (JP)

(73) Assignee: **Sony Corporation**, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/531,539**

(22) Filed: **Jun. 26, 2015**

**Related U.S. Application Data**

(63) Continuation of application No. 29/492,412, filed on May 30, 2014, now Pat. No. Des. 738,245, which is a continuation-in-part of application No. 29/485,047, filed on Mar. 14, 2014, now Pat. No. Des. 736,660.

**Foreign Application Priority Data**

(30) Dec. 27, 2013 (CN) ..... 2013 3 0650941  
Dec. 27, 2013 (JP) ..... D2013-030973  
Dec. 27, 2013 (JP) ..... D2013-030974  
Dec. 27, 2013 (JP) ..... D2013-030975  
Dec. 27, 2013 (JP) ..... D2013-030976  
Dec. 27, 2013 (JP) ..... D2013-030977  
Dec. 27, 2013 (JP) ..... D2013-030978  
Dec. 27, 2013 (JP) ..... D2013-030979  
Dec. 27, 2013 (JP) ..... D2013-030980  
Dec. 27, 2013 (JP) ..... D2013-030981  
Dec. 27, 2013 (JP) ..... D2013-030982  
Dec. 27, 2013 (JP) ..... D2013-030983  
Dec. 27, 2013 (JP) ..... D2013-030984  
Dec. 27, 2013 (JP) ..... D2013-030985  
Dec. 27, 2013 (JP) ..... D2013-030986  
Dec. 27, 2013 (JP) ..... D2013-030987  
Dec. 27, 2013 (JP) ..... D2013-030988  
Mar. 20, 2014 (JP) ..... D2014-006016  
Mar. 20, 2014 (JP) ..... D2014-006017  
Mar. 20, 2014 (JP) ..... D2014-006018

Mar. 20, 2014 (JP) ..... D2014-006019  
Mar. 20, 2014 (JP) ..... D2014-006020  
Mar. 20, 2014 (JP) ..... D2014-006021  
Mar. 20, 2014 (JP) ..... D2014-006022  
Mar. 20, 2014 (JP) ..... D2014-006023

(51) **LOC (10) Cl.** ..... **10-04**

(52) **U.S. Cl.**

USPC ..... **D10/83**

(58) **Field of Classification Search**

USPC ..... D10/83-85

CPC ..... A63B 2220/05; A63B 2220/17; A63B 2220/18; A63B 2220/20; A63B 2220/30; A63B 2220/40; A63B 2220/50; A63B 2220/51; A63B 2220/53; A63B 2220/54; A63B 2220/55; A63B 2220/62; A63B 2220/64; A63B 24/00; A63B 24/0003

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

6,753,778 B2 6/2004 Kruger  
D583,826 S 12/2008 Sawai et al.  
8,840,483 B1 9/2014 Steusloff et al.  
8,926,444 B2 1/2015 Kato et al.  
8,944,929 B1 \* 2/2015 Smith ..... A63B 69/3614  
473/202  
9,033,810 B2 \* 5/2015 Bentley ..... A63B 53/14  
473/219  
9,144,726 B2 \* 9/2015 Whitney ..... A63B 69/0002  
2009/0233735 A1 9/2009 Savarese et al.  
2011/0224012 A1 9/2011 Hashimoto et al.  
2012/0035003 A1 2/2012 Moran et al.  
2012/0052973 A1 3/2012 Bentley  
2013/0065703 A1 3/2013 Rose


**FOREIGN PATENT DOCUMENTS**

JP D1227155 S 1/2005

**OTHER PUBLICATIONS**

Final Decision of the Board of Appeal issued in Japanese Application No. D2013-030975, dated May 22, 2015.

\* cited by examiner



*Primary Examiner* — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP

(57)

**CLAIM**

The ornamental design for a vibration sensor attachment, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top, right perspective view of a first embodiment of a vibration sensor attachment showing our new design;

FIG. 2 is a rear, top, left perspective view thereof;

FIG. 3 is a front, bottom, right perspective view thereof;

FIG. 4 is a rear, bottom, left perspective view thereof;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a right side elevational view thereof;

FIG. 9 is a top plan view thereof; and

FIG. 10 is a bottom plan view thereof.

FIG. 11 is a front, top, right perspective view of a second embodiment of a vibration sensor attachment showing our new design;

FIG. 12 is a rear, top, left perspective view thereof;

FIG. 13 is a front, bottom, right perspective view thereof;

FIG. 14 is a rear, bottom, left perspective view thereof;

FIG. 15 is a top plan view thereof; and,

FIG. 16 is a bottom plan view thereof.

The broken lines illustrate unclaimed portions of the vibration sensor attachment and form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6






FIG.7




FIG.8




FIG.9




FIG.10






FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16

