

US00D757584S

(12) **United States Design Patent**  
**Pusey et al.**

(10) **Patent No.:** **US D757,584 S**

(45) **Date of Patent:** **\*\* May 31, 2016**

(54) **ENCLOSURE FOR WIRELESS SIREN  
SENSOR WITH STROBE LIGHT**

(56) **References Cited**

(71) Applicant: **HONEYWELL INTERNATIONAL  
INC.**, Morristown, NJ (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Andrew Rulon Pusey**, Morristown, NJ  
(US); **Rajat Shail**, Stevensville, MI  
(US); **Mike Fonti**, Deer Park, NY (US);  
**Kevin G. Piel**, Ronkonkoma, NY (US);  
**Natalia Elena Ursan**, Burnaby (CA)

D240,120	S	*	6/1976	Pasquarette .....	D10/106.5
D357,203	S	*	4/1995	Ozawa .....	D10/106.5
D419,476	S	*	1/2000	Baker .....	D10/106.5
D475,942	S	*	6/2003	Job .....	D10/106.5
D517,439	S	*	3/2006	Black .....	D10/106.5
D715,670	S	*	10/2014	Stagg .....	D10/106.5
2005/0128748	A1	*	6/2005	Suwa .....	G08B 5/36 362/253

(73) Assignee: **HONEYWELL INTERNATIONAL  
INC.**, Morristown, NJ (US)

\* cited by examiner

*Primary Examiner* — George D Kirschbaum

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — Husch Blackwell LLP

(21) Appl. No.: **29/512,896**

(57) **CLAIM**

The ornamental design for an enclosure for a wireless siren sensor with strobe light, as shown and described.

(22) Filed: **Dec. 23, 2014**

**DESCRIPTION**

(51) **LOC (10) Cl.** ..... **10-05**

FIG. 1 is a perspective view of the enclosure.

(52) **U.S. Cl.**

FIG. 2 is a front elevation view thereof; and,

USPC ..... **D10/106.5**

FIG. 3 is a side elevation view thereof, the mirror images being the same.

(58) **Field of Classification Search**

USPC ..... D10/106.5, 114.2

CPC ..... G08B 5/36

The rear view of the enclosure illustrated in FIGS. 1-3 is hereby disclaimed and forms no part of the claimed design.

See application file for complete search history.

**1 Claim, 2 Drawing Sheets**





Fig. 1




Fig. 2




Fig. 3

