

#### US00D757588S

# (12) United States Design Patent

Stuffle

(10) Patent No.:

US D757,588 S

(45) Date of Patent: \*\* May

\*\* May 31, 2016

#### (54) COMPACT SIGNALING DEVICE

(71) Applicant: WERMA Holding GmbH + Co. KG,

Rietheim-Weilheim (DE)

(72) Inventor: Werner Stuffle, Balgheim (DE)

(73) Assignee: WERMA Holding GmbH + Co. KG,

Rietheim-Weilheim (DE)

(\*\*) Term: **14 Years** 

(21) Appl. No.: **29/474,918** 

Sep. 18, 2014

(22) Filed: Mar. 17, 2015

## (30) Foreign Application Priority Data

(51)	LOC (10) Cl.		-05
(52)	U.S. Cl.		
	USPC	D10/11	<b>4.1</b>
(58)	Field of Classification Search		
	USPC		/41
	CPC	F21Y 2111/0	001

(DE) ...... 40 2014 002 024

### (56) References Cited

## U.S. PATENT DOCUMENTS

See application file for complete search history.

D575,183 S	*	8/2008	Seitz D10/111
D584,181 S	*	1/2009	Poon D10/111
D673,475 S	*	1/2013	Di Giovine
D701,466 S	*	3/2014	Clifford D10/114.2

<sup>\*</sup> cited by examiner

Primary Examiner — George D Kirschbaum

(74) Attorney, Agent, or Firm — Breneman & Georges

#### (57) CLAIM


The ornamental design for a compact signaling device, as shown and described.

#### **DESCRIPTION**

- FIG. 1 is a perspective view having a two segmented lens showing my new design;
- FIG. 2 is a front elevational view of FIG. 1 with the rear elevational view being a mirror image thereof;
- FIG. 3 is a top end view of FIG. 1;
- FIG. 4 is a bottom end view of FIG. 1;
- FIG. 5 is a perspective view having a three segmented lens showing my new design;
- FIG. 6 is a front elevational view of FIG. 5 with the rear elevational view being a mirror image of FIG. 6 and with the top end view the same as FIG. 3 and the bottom end view the same as FIG. 4;
- FIG. 7 is a perspective view having a four segmented lens showing my new design;
- FIG. 8 is a front elevational view of FIG. 7 with the rear elevational view being a mirror image of FIG. 8 and with the top end view the same as FIG. 3 and the bottom end view the same as FIG. 4;
- FIG. 9 is a perspective view having a five segmented lens showing my new design; and,
- FIG. 10 is a front elevational view of FIG. 9 with the rear elevational view being a mirror image of FIG. 10 and with the top end view the same as FIG. 3 and the bottom end view the same as FIG. 4.

In the drawings, the broken lines showing the electrical and mechanical connections at the bottom end of the compact signal device depict connective subject matter and forms no part of the claim.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6







FIG. 8






FIG. 10