



US00D757827S

(12) **United States Design Patent**  
**Jensen et al.**

(10) **Patent No.:** **US D757,827 S**  
(45) **Date of Patent:** **\*\* May 31, 2016**

(54) **CONTROLLER TRAY**

F25D 23/12; F25D 29/005; F25D 17/042;  
F25D 2325/021

(71) Applicant: **Danfoss A/S**, Nordborg (DK)

See application file for complete search history.

(72) Inventors: **Erik Raun Jensen**, Nordborg (DK);  
**Nina Wetcke**, Soenderborg (DK);  
**Michael Sorensen**, Soenderborg (DK)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|          |   |   |        |               |       |        |
|----------|---|---|--------|---------------|-------|--------|
| D395,053 | S | * | 6/1998 | Aske et al.   | ..... | D15/89 |
| D655,728 | S | * | 3/2012 | Seno et al.   | ..... | D15/89 |
| D711,939 | S | * | 8/2014 | Bakker, Jr.   | ..... | D15/89 |
| D726,784 | S | * | 4/2015 | Kotian et al. | ..... | D15/79 |

\* cited by examiner

(73) Assignee: **Danfoss A/S**, Nordborg (DM)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/498,495**

(22) Filed: **Aug. 5, 2014**

(30) **Foreign Application Priority Data**

Feb. 6, 2014 (EM) ..... 002399972-0001

(51) **LOC (10) Cl.** ..... **15-07**

(52) **U.S. Cl.**  
USPC ..... **D15/89**

(58) **Field of Classification Search**

USPC ..... D15/79-91  
CPC ..... F25B 21/02; F25B 2321/02; F25B 1/005;  
F25B 2321/0252; F25B 1/00; F25B 1/10;  
F25B 21/04; F25B 2339/047; F25B 5/02;  
F25B 7/00; F25B 13/00; F25B 1/053; F25B  
2309/06; F25B 2321/021; F25B 2321/023;  
F25D 23/028; F25D 23/02; F25D 25/025;  
F25D 23/00; F25D 2323/021; F25D 11/00;  
F25D 2323/024; F25D 23/04; F25D 29/00;  
F25D 25/02; F25D 25/024; F25D 27/005;

*Primary Examiner* — Daniel Bui

*Assistant Examiner* — Khawaja Anwar

(74) *Attorney, Agent, or Firm* — McCormick, Paulding &  
Huber LLP

(57) **CLAIM**

The ornamental design for controller tray, substantially as  
shown.

**DESCRIPTION**

FIG. 1 is a front, bottom, right-hand side perspective view of  
a controller tray comprising a new, original and ornamental  
design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left-hand side view thereof;


FIG. 5 is a right-hand side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines in figure drawings represent unclaimed  
environment only and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D757,827 S  
APPLICATION NO. : 29/498495  
DATED : May 31, 2016  
INVENTOR(S) : Erik Raun Jensen et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

TITLE PAGE

Country Code of Item 73 Assignee should read:

-- Danfoss A/S, Nordborg, (DK) --

Signed and Sealed this  
Thirteenth Day of September, 2016



Michelle K. Lee  
*Director of the United States Patent and Trademark Office*