

US00D757945S

(12) **United States Design Patent**
Bishop et al.

(10) **Patent No.:** **US D757,945 S**
(45) **Date of Patent:** **** May 31, 2016**

(54) **HEARING AID BATTERY DOOR**
(71) Applicant: **ZPower, LLC**, Camarillo, CA (US)
(72) Inventors: **Samuel T. Bishop**, Camarillo, CA (US);
Andrew F. Elms, Newbury Park, CA (US);
Leslie G. Farkas, Oak View, CA (US);
Troy W. Renken, Camarillo, CA (US)
(73) Assignee: **ZPower, LLC**, Camarillo, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/530,315**

(22) Filed: **Jun. 16, 2015**

(51) **LOC (10) Cl.** **24-99**

(52) **U.S. Cl.**
USPC **D24/174**

(58) **Field of Classification Search**
USPC D24/173-175; D14/205, 223-226, 249;
D13/103, 108, 119
CPC .. H04R 2225/025; H04R 25/60; H04R 25/63;
H04R 25/67; H04R 25/602; H04R 25/604;
H04R 25/608; H04R 25/65; H04R 25/652;
H02J 7/0044; H01M 2/1022; H01M 2200/30
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D354,568 S *	1/1995	Araki	D24/174
D457,635 S	5/2002	Dittli		
6,546,110 B1	4/2003	Vonlanthen		
6,658,125 B1 *	12/2003	Batting	H04R 25/602 381/322
7,068,804 B2 *	6/2006	Batting	H04R 25/556 381/323
7,076,075 B2	7/2006	Jorgensen		
D579,567 S	10/2008	Pedersen		
D599,908 S	9/2009	Nielsen		
7,646,878 B2	1/2010	Vonlanthen et al.		

D622,855 S	8/2010	Cano, Jr.
D635,263 S	3/2011	Meinertz
D646,788 S	10/2011	Dubs et al.
8,073,173 B2	12/2011	Onodera
D663,847 S	7/2012	Dubs et al.
D676,559 S	2/2013	Meinertz
D676,967 S	2/2013	Meinertz
D676,969 S	2/2013	Meinertz
D682,429 S	5/2013	Campbell et al.
D687,952 S	8/2013	Dubs
D690,820 S	10/2013	Nielsen
D698,024 S	1/2014	Meinertz
D701,604 S	3/2014	Dubs
8,767,990 B2	7/2014	Spragge
8,903,112 B2	12/2014	Lu et al.

(Continued)

Primary Examiner — Anhdao Doan

(74) *Attorney, Agent, or Firm* — Honigman Miller Schwartz and Cohn LLP; Andrew N. Weber; Jonathan P. O'Brien


(57) **CLAIM**

We claim the ornamental design for a hearing aid battery door, as shown and described.

DESCRIPTION

FIG. 1 is a right perspective view of a hearing aid battery door, showing our new design;
FIG. 2 is a right view of the hearing aid battery door of FIG. 1;
FIG. 3 is a left view of the hearing aid battery door of FIG. 1;
FIG. 4 is a front view of the hearing aid battery door of FIG. 1;
FIG. 5 is a rear view of the hearing aid battery door of FIG. 1;
FIG. 6 is a top view of the hearing aid battery door of FIG. 1; and,
FIG. 7 is a bottom view of the hearing aid battery door of FIG. 1.
The broken lines in the drawing views are directed to environmental subject matter and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D722,167 S 2/2015 Li
D722,168 S 2/2015 Darkes
2007/0047751 A1* 3/2007 Heerlein H04R 25/602
381/324
2008/0044049 A1* 2/2008 Ho H04R 25/602
381/323
2010/0226519 A1* 9/2010 Spragge H04R 25/602
381/323

2010/0290655 A1* 11/2010 Takeda H04R 25/602
381/323
2011/0200218 A1* 8/2011 Borregaard H04R 25/602
381/323
2013/0195303 A1* 8/2013 Tada H04R 25/602
381/323
2014/0177893 A1* 6/2014 Lu H04R 25/602
381/323
2015/0249895 A1* 9/2015 Etwil H04R 25/65
381/323

* cited by examiner




FIG. 1




FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7