



US00D758320S

(12) **United States Design Patent**
Prince

(10) **Patent No.:** **US D758,320 S**
(45) **Date of Patent:** **** Jun. 7, 2016**

(54) **HOLDER FOR HOLDING WIRES AND CABLES**

Primary Examiner — Derrick Holland

(74) *Attorney, Agent, or Firm* — Klintworth & Rozenblat IP LLC

(71) Applicant: **Yummy Designs, Inc.**, Chicago, IL (US)

(72) Inventor: **Michael D. Prince**, Chicago, IL (US)

(73) Assignee: **YUMMY DESIGNS, INC.**, Chicago, IL (US)

(57) **CLAIM**

The ornamental design for a holder for holding wires and cables, as shown and described.

(**) Term: **14 Years**

(21) Appl. No.: **29/499,149**

DESCRIPTION

(22) Filed: **Aug. 12, 2014**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/155**

(58) **Field of Classification Search**

USPC D13/155, 133, 149, 153, 154, 156, 184,
D13/199; D8/344, 349, 353, 354, 357, 499;
174/68.1, 68.2, 68.3, 95, 97, 98, 99 B,
174/99 R, 101, 102 R; 439/98, 120, 121,
439/207-211; D6/518; D9/424, 711
CPC F16G 11/00; F16G 11/02; F16G 11/025;
F16B 2/00; H01R 13/72; B65D 63/00
See application file for complete search history.

FIG. 1 is a top perspective view of a holder for holding wires and cables in accordance with a first embodiment of the design;

FIG. 2 is a right side elevation view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a front elevation view thereof;

FIG. 5 is a rear elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a cross-sectional view thereof, taken along line 8-8 of FIG. 6;

FIG. 9 is a top perspective view thereof, shown in environmental use;

FIG. 10 is a top perspective view of a holder for holding wires and cables in accordance with a second embodiment of the design;

FIG. 11 is a right side elevation view thereof;

FIG. 12 is a left side elevation view thereof;

FIG. 13 is a front elevation view thereof;

FIG. 14 is a rear elevation view thereof;

FIG. 15 is a top plan view thereof;

FIG. 16 is a bottom plan view thereof;

FIG. 17 is a cross-sectional view thereof, taken along line 17-17 of FIG. 15; and,

FIG. 18 is a top perspective view thereof, shown in environmental use.

The broken lines shown represent unclaimed subject matter and form no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

2,351,379	A	6/1944	Wehringer	
3,008,571	A	11/1961	Bond	
3,310,623	A	3/1967	Vaughan	
3,520,988	A	7/1970	Ballock, Sr.	
D288,802	S *	3/1987	Bramwell D13/155
4,979,614	A	12/1990	Ruhaut	
5,249,337	A	10/1993	Cross et al.	
D374,174	S	10/1996	McClellan	
6,301,752	B1	10/2001	Koppang	
6,425,165	B2	7/2002	Koppang	
D464,875	S	10/2002	Koppang	
6,740,817	B1	5/2004	Anderson	
D539,230	S *	3/2007	Jordan D13/155

(Continued)

1 Claim, 14 Drawing Sheets



US D758,320 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

7,214,092 B1 5/2007 Platt
7,408,114 B2* 8/2008 VanderVelde H02G 3/0418
174/480
D613,697 S * 4/2010 Symons D13/149

D631,268 S * 1/2011 Yang D6/518
7,882,600 B2 2/2011 Judd
8,042,232 B2 10/2011 Mask et al.
D671,502 S * 11/2012 Ruddick D13/155

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18