

US00D758450S

(12) **United States Design Patent**
Ratner

(10) **Patent No.:** **US D758,450 S**
(45) **Date of Patent:** **** Jun. 7, 2016**

(54) **HIGH PRESSURE PNEUMATIC CALIBRATION PUMP**

(71) Applicant: **Cary Ratner**, East Hills, NY (US)

(72) Inventor: **Cary Ratner**, East Hills, NY (US)

(73) Assignee: **Cary Ratner**, East Hills, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/474,271**

(22) Filed: **Sep. 15, 2014**

(51) **LOC (10) Cl.** **15-02**

(52) **U.S. Cl.**
USPC **D15/7**

(58) **Field of Classification Search**
USPC D15/7-9; D23/231, 232, 225; 417/60, 417/235, 265, 321, 355, 358, 363, 359, 417/410.1, 415-416, 405, 900, 234; 60/408, 412; 184/26-37; 415/140-147, 415/127; 123/495, 509; 137/565.34
CPC F02M 37/04; F02M 37/14
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D358,397 S *	5/1995	Phillips	D15/7
D476,665 S *	7/2003	Stewart	D15/7
D487,899 S *	3/2004	Poon	D15/7
D510,939 S *	10/2005	Nikolayev	D15/9
D554,152 S *	10/2007	Ratner	D15/7
D581,950 S *	12/2008	Ratner	D15/7
D650,814 S *	12/2011	Brown	D15/7

* cited by examiner

Primary Examiner — Ralf Seifert


(57) **CLAIM**

The ornamental design for a high pressure pneumatic calibration pump, as shown and described.

DESCRIPTION

FIG. 1 is a top view of a high pressure pneumatic calibration pump showing my new design with the support legs in a stowed position; and, FIG. 2 is a top view with the support legs in a deployed position.

1 Claim, 2 Drawing Sheets






Figure 1




Figure 2