

US00D758472S

(12) **United States Design Patent**
Florey

(10) **Patent No.:** **US D758,472 S**
(45) **Date of Patent:** **** Jun. 7, 2016**

(54) **CAMERA MOUNT FOR COLLAPSIBLE
CAMERA CRANE**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **LITE PRO GEAR**, South Lake Tahoe,
CA (US)

D252,754	S	*	8/1979	Viering	D16/242
5,856,862	A		1/1999	Kokush		
6,478,427	B1		11/2002	Morris et al.		
7,293,668	B2		11/2007	Brossart et al.		
D588,621	S		3/2009	Baty		
D670,284	S	*	11/2012	Choi	D14/253
D721,074	S	*	1/2015	Harris	D14/253
D725,694	S	*	3/2015	Florey	D16/242
9,057,480	B1	*	6/2015	Florey	F16M 13/022
9,115,740	B2	*	8/2015	Chang	F16M 11/041

(72) Inventor: **Canyon Florey**, South Lake Tahoe, CA
(US)

(73) Assignee: **LITE PRO GEAR**, Zephyr Cove, NV
(US)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Vy Koenig

(21) Appl. No.: **29/517,845**

(74) *Attorney, Agent, or Firm* — Pillsbury Winthrop Shaw
Pittman LLP

(22) Filed: **Feb. 17, 2015**

(57) **CLAIM**

The ornamental design for a camera mount for collapsible
camera crane, as shown and described.

DESCRIPTION

Related U.S. Application Data

(63) Continuation of application No. 29/473,730, filed on
Nov. 25, 2013, now Pat. No. Des. 725,694.

FIG. 1 is a perspective view of a camera mount for collapsible
camera crane, with the collapsible camera crane in a col-
lapsed configuration;

(51) **LOC (10) Cl.** **16-05**

(52) **U.S. Cl.**
USPC **D16/242**

FIG. 2 is a rear elevation view of FIG. 1;

FIG. 3 is a front elevation view of FIG. 1;

FIG. 4 is a left-side elevation view of FIG. 1;

FIG. 5 is a right-side elevation view of FIG. 1;

FIG. 6 is a top plan view of FIG. 1;

FIG. 7 is a bottom plan view of FIG. 1;

(58) **Field of Classification Search**

USPC D16/134, 136, 208, 213–219, 235,
D16/237–245, 250; D14/203.4, 218, 224,
D14/250–253, 345, 440, 449; D8/363, 373,
D8/394

FIG. 8 is a perspective view of the camera mount for collaps-
ible camera crane, with the collapsible camera crane in an
extended configuration;

FIG. 9 is a rear elevation view of FIG. 8;

FIG. 10 is a front elevation view of FIG. 8;

FIG. 11 is a left-side elevation view of FIG. 8;

FIG. 12 is a right-side elevation view of FIG. 8;

FIG. 13 is a top plan view of FIG. 8; and,


FIG. 14 is a bottom plat view of FIG. 8.

The broken lines shown in the drawings depict portions of the
camera mount for collapsible camera crane that forms no part
of the claimed design.

CPC G03B 17/02–17/04; G03B 17/14;
G03B 17/56; G03B 17/561–17/568; G03B
21/20–21/2066; G03B 15/041–15/0436;
G02B 7/02–7/04; G02B 7/14; H04N
5/2251–5/2554; F16M 11/02; F16M 11/20;
F16M 11/40

See application file for complete search history.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 10

FIG. 9




FIG. 11




FIG. 12




FIG. 13




FIG. 14