



US00D758612S

(12) **United States Design Patent**
Skaar

(10) **Patent No.:** **US D758,612 S**
(45) **Date of Patent:** **** Jun. 7, 2016**

- (54) **RUBBER THRESHOLD RAMP**
- (71) Applicant: **Øyvind Skaar**, Bergen (NO)
- (72) Inventor: **Øyvind Skaar**, Bergen (NO)
- (73) Assignee: **Rame Solutions AS**, Bergen (NO)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/530,289**
- (22) Filed: **Jun. 15, 2015**

Related U.S. Application Data

- (62) Division of application No. 29/479,948, filed on Jan. 22, 2014.
- (51) **LOC (10) Cl.** **25-02**
- (52) **U.S. Cl.**
USPC **D25/48.2**
- (58) **Field of Classification Search**
USPC D25/48.2, 124, 48.1, 48.3, 113, 119;
14/69.5; 49/148, 149, 182, 204.1, 504,
49/467, 469; 52/181
CPC A61G 3/061; E01C 11/222; E04F 11/108;
E05Y 2900/132; E05Y 2800/00; E05Y
2800/70; E04G 23/0203
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D85,226	S	*	9/1931	Awbrey	D25/123
1,966,402	A	*	7/1934	Barringer	52/181
3,153,798	A	*	10/1964	Drevitson	14/69.5
4,817,224	A	*	4/1989	Visnaw et al.	14/69.5
D346,256	S	*	4/1994	Thomas et al.	D34/32

D353,071	S	*	12/1994	Roberts	D6/583
D354,572	S	*	1/1995	Headrick	D25/48.2
5,446,937	A	*	9/1995	Haskins	14/69.5
5,777,266	A	*	7/1998	Herman et al.	174/68.1
5,901,395	A	*	5/1999	Vander Heiden et al.	14/69.5
6,708,361	B1	*	3/2004	Emerson, Jr.	14/69.5
6,718,588	B1	*	4/2004	Frederiksen	14/69.5
7,003,836	B2	*	2/2006	Berg	14/69.5
D563,568	S	*	3/2008	Dunlap	D25/119
D665,513	S	*	8/2012	Engel	D25/113
D711,062	S	*	8/2014	Chen	D34/32
2002/0194788	A1	*	12/2002	Bennett	49/467
2006/0098845	A1	*	5/2006	Sotriopoulos et al.	382/107
2008/0105215	A1	*	5/2008	Simpson et al.	119/849
2012/0244308	A1	*	9/2012	Lee	428/81
2013/0199101	A1	*	8/2013	Rager-Frey	49/469
2014/0259951	A1	*	9/2014	Karl	49/469

* cited by examiner

Primary Examiner — Philip S Hyder

Assistant Examiner — Keith Frank

(74) *Attorney, Agent, or Firm* — Ben Schroeder Law, PLLC



(57) **CLAIM**

The ornamental design for a rubber threshold ramp, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a rubber threshold ramp showing my new design;
 FIG. 2 is a bottom perspective view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a front elevational view thereof;
 FIG. 7 is a top plan view thereof; and,
 FIG. 8 is a left side elevational view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 5




FIG. 3



FIG. 4



FIG. 6




FIG. 8




FIG. 7