



US00D758628S

(12) **United States Design Patent**
Port et al.

(10) **Patent No.:** **US D758,628 S**
(45) **Date of Patent:** **** Jun. 7, 2016**

(54) **WEARABLE LIGHTING DEVICE**

(71) Applicant: **SureFire, LLC**, Fountain Valley, CA
(US)

(72) Inventors: **Douglas J. Port**, Huntington Beach, CA
(US); **Luis Araujo**, Las Vegas, NV (US);
Kevin Skehan, Las Vegas, NV (US)

(73) Assignee: **SureFire, LLC**, Fountain Valley, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/436,349**

(22) Filed: **Nov. 5, 2012**

(51) **LOC (10) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/39**

(58) **Field of Classification Search**
USPC D26/37, 38, 44, 46, 39; 362/157, 158,
362/183, 184, 194–196, 200–208, 253, 103,
362/105, 106
CPC F21V 33/00; F21V 14/025; F21V 21/406;
F21Y 2101/02; F21L 17/00; F21L 13/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,805,326	A	9/1957	Schwartz	
4,319,309	A	3/1982	Benoit	
4,425,600	A	1/1984	Barnhart	
4,788,631	A *	11/1988	Fuller	362/103
D324,579	S	3/1992	Crabtree, Jr.	
5,191,197	A	3/1993	Metlitsky et al.	
5,193,896	A	3/1993	Oberlander	
D353,012	S	11/1994	Mihavetz	
D361,143	S	8/1995	Helvey	
D362,736	S	9/1995	Leather	
5,580,154	A	12/1996	Coulter et al.	

D404,509	S *	1/1999	Deen	D26/37
5,904,280	A	5/1999	Chan	
6,213,619	B1	4/2001	Yu	
6,550,930	B1	4/2003	Portouche	
D485,382	S	1/2004	Palm	
D500,377	S	12/2004	Yamamoto et al.	
7,023,763	B2	4/2006	Galli	
D524,974	S	7/2006	Zernov	
D525,734	S	7/2006	Shiao	
D526,079	S	8/2006	Heun	
D531,335	S	10/2006	Garrity	
D556,927	S	12/2007	Shiu	

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/410,911, filed Jan. 13, 2012, inventors: Araujo et al., 10 pages.

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP

(57) **CLAIM**

The ornamental design for a wearable lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a wearable lighting device showing the new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front side elevational view thereof;

FIG. 4 is a rear side elevational view thereof;

FIG. 5 is a right side elevational view thereof;


FIG. 6 is a left side elevational view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken line showing represents portions of the article not claimed and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,303,306 B2

12/2007

Ross et al.

D560,008 S

1/2008

Poon

D567,975 S

4/2008

Wright et al.

7,399,099 B2

7/2008

Stokes

D578,691 S *

10/2008

Lau D26/39

D579,133 S

10/2008

Shiu

D596,325 S

7/2009

Barbour

D605,319 S

12/2009

Devaney et al.

D608,485 S

1/2010

Liao et al.

D615,678 S

5/2010

DeBrunner

D615,680 S

5/2010

Kim

7,815,334 B2

10/2010

Sherman

D649,272 S

11/2011

Araujo et al.

D656,644 S *

3/2012

Lee D26/39

D658,323 S

4/2012

Freschl

8,157,401 B2

4/2012

Lau

D662,239 S *

6/2012

Szymanski D26/39

D676,991 S *

2/2013

Araujo et al. D26/39

D690,855 S *

10/2013

Araujo et al. D26/39

2001/0048596 A1

12/2001

Kerr

2003/0002297 A1

1/2003

Nemtsev

2005/0018544 A1

1/2005

Galli

2005/0254229 A1

11/2005

Hamade et al.

2007/0058362 A1

3/2007

Winfrey

2007/0147025 A1

6/2007

Shirey

2007/0279894 A1

12/2007

Esses

2008/0062676 A1

3/2008

Masuda

2009/0108039 A1

4/2009

Sherman

2009/0167542 A1

7/2009

Culbert et al.

2009/0284216 A1

11/2009

Bessa et al.

2012/0140451 A1

6/2012

Araujo et al.

OTHER PUBLICATIONS

U.S. Appl. No. 29/436,351, filed Nov. 5, 2012, inventors: Matthews et al., 10 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8