



US00D758956S

(12) **United States Design Patent**
Mathonet et al.

(10) **Patent No.:** **US D758,956 S**
(45) **Date of Patent:** **** Jun. 14, 2016**

- (54) **TIRE**
- (71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (72) Inventors: **Vincent Benoit Mathonet, Harze (BE); Philippe Joseph Auguste Muller, Champlon (BE); Marc Becker, Konz (DE); Albert Maurice Pol Ghislain Lerusse, Bastogne (BE)**
- (73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (**) Term: **14 Years**
- (21) Appl. No.: **29/517,354**
- (22) Filed: **Feb. 12, 2015**
- (51) **LOC (10) Cl.** **12-15**
- (52) **U.S. Cl.**
USPC **D12/565**
- (58) **Field of Classification Search**
USPC D12/533–567
CPC B60C 1/00; B60C 11/00; B60C 11/03
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D390,818 S	2/1998	de Barsy et al.	D12/147
D391,203 S	2/1998	Gillard et al.	D12/146
D410,420 S	6/1999	de Barsy	D12/147
D411,492 S	6/1999	Young	D12/149
D414,449 S	9/1999	Schuster	D12/146
D448,707 S	10/2001	Maziarka et al.	D12/147
D449,022 S	10/2001	Cazin-Bourguignon et al.	D12/147
D458,580 S	6/2002	Young et al.	D12/512
D458,584 S	6/2002	Young et al.	D12/600
D517,468 S	3/2006	Le et al.	D12/566
D528,500 S	9/2006	Le et al.	D12/600
D554,055 S	10/2007	Beauguitte et al.	D12/600
D569,334 S	5/2008	Maziarka et al.	D12/600

D586,730 S	2/2009	Scheuren et al.	D12/553
D592,590 S	5/2009	Janesh et al.	D12/600
D597,478 S	8/2009	Scheuren et al.	D12/584
D601,085 S	9/2009	Janesh et al.	D12/600
D604,226 S	11/2009	Scheuren	D12/553
D604,228 S	11/2009	Le et al.	D12/582
D604,229 S	11/2009	Le et al.	D12/582
D610,968 S *	3/2010	Godeau	D12/583
D613,676 S	4/2010	Nicolas et al.	D12/567
D614,121 S	4/2010	Janesh et al.	D12/597
D626,501 S	11/2010	Cazin-Bourguignon et al.	D12/600
D627,707 S	11/2010	Le et al.	D12/566
D627,710 S	11/2010	Rodicq et al.	D12/583
D627,713 S	11/2010	Le et al.	D12/600
D628,955 S	12/2010	Toumni et al.	D12/588
D631,002 S	1/2011	Cazin-Bourguignon et al.	D12/602
D637,142 S	5/2011	Nicolas et al.	D12/579
D637,152 S	5/2011	Maus et al.	D12/602
D644,600 S	9/2011	Nicolas et al.	D12/602
D645,810 S	9/2011	Le et al.	D12/600
D647,040 S	10/2011	Mathonet et al.	D12/588
D648,264 S	11/2011	Le et al.	D12/588
D653,199 S	1/2012	Scheuren et al.	D12/588
D661,244 S *	6/2012	Buchinger-Barnstorf ...	D12/564

(Continued)

Primary Examiner — George D Kirschbaum
Assistant Examiner — Natasha Vujcic
(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**
The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto; and,
FIG. 4 is an enlarged fragmentary front elevational view thereof.

1 Claim, 4 Drawing Sheets



US D758,956 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D662,457 S 6/2012 Krier et al. D12/588
D667,364 S 9/2012 Krier et al. D12/586
D667,365 S 9/2012 Dixon et al. D12/594

D700,885 S 3/2014 Le et al. D12/588
D702,180 S 4/2014 Le et al. D12/588
D720,686 S * 1/2015 Koog D12/566
D721,031 S * 1/2015 Wang D12/536
D735,117 S * 7/2015 Koog D12/564

* cited by examiner



FIG - 1




FIG - 2




FIG - 3



FIG - 4