



US00D758973S

(12) **United States Design Patent**
Fujikata et al.

(10) **Patent No.:** **US D758,973 S**
(45) **Date of Patent:** **** Jun. 14, 2016**

- (54) **ELECTRICAL CONTACT FOR USE IN A PLATING APPARATUS**
- (71) Applicant: **EBARA CORPORATION**, Tokyo (JP)
- (72) Inventors: **Jumpei Fujikata**, Tokyo (JP); **Masaaki Kimura**, Tokyo (JP); **Mitsutoshi Yahagi**, Tokyo (JP)
- (73) Assignee: **EBARA CORPORATION**, Tokyo (JP)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/539,764**
- (22) Filed: **Sep. 17, 2015**

Related U.S. Application Data

- (60) Division of application No. 29/515,820, filed on Jan. 27, 2015, now Pat. No. Des. 742,329, which is a division of application No. 29/488,445, filed on Apr. 18, 2014, now Pat. No. Des. 725,600, which is a continuation-in-part of application No. 29/488,146, filed on Apr. 16, 2014, now Pat. No. Des. 719,101, which is a division of application No. 29/463,693, filed on Jan. 28, 2014, now Pat. No. Des. 717,736, which is a division of application No. 29/462,320, filed on Aug. 1, 2013, now Pat. No. Des. 706,224.

(30) **Foreign Application Priority Data**

Mar. 4, 2014 (JP) 2014-004595
Mar. 4, 2014 (JP) 2014-004596
Mar. 4, 2014 (JP) 2014-004597

- (51) **LOC (10) Cl.** **13-03**
- (52) **U.S. Cl.**
USPC **D13/154**

- (58) **Field of Classification Search**
USPC D13/110, 118, 120, 147, 154, 184, 199
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D423,329 S *	4/2000	Adams		D8/354
D556,692 S	12/2007	Yahagi et al.		
D651,178 S	12/2011	Fujikata et al.		
D669,439 S	10/2012	Fujikata et al.		
D706,224 S	6/2014	Kimura et al.		
D717,736 S	11/2014	Kimura et al.		
D719,101 S	12/2014	Kimura et al.		
D725,600 S	3/2015	Fujikata et al.		

* cited by examiner

Primary Examiner — Daniel Bui

(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

(57) **CLAIM**

The ornamental design for an electrical contact for use in a plating apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an electrical contact for use in a plating apparatus showing our new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a rear elevation view thereof; and,
FIG. 7 is a right side elevation view thereof.

1 Claim, 2 Drawing Sheets





FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

