



US00D759002S

(12) **United States Design Patent**
Won et al.

(10) **Patent No.:** **US D759,002 S**
(45) **Date of Patent:** **** Jun. 14, 2016**

(54) **STAND FOR MONITOR**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Tae-Yeon Won**, Seoul (KR); **Gil-Jae Lee**, Seoul (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/525,340**

(22) Filed: **Apr. 29, 2015**

(30) **Foreign Application Priority Data**

Dec. 26, 2014 (KR) 30-2014-0063472

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/239**

(58) **Field of Classification Search**

USPC D14/125–134, 239, 371, 136, 374–377,
D14/440, 450, 448, 336, 342, 159; 312/7.2;
348/836, 838, 180, 184, 325, 739;
248/917–924, 465; 345/104, 133, 156,
345/168, 87, 173; D21/329, 515, 577, 622,
D21/333, 433, 448, 452, 450, 331, 505;
D10/15, 26; 446/484, 175, 356;
D6/477, 479, 300; D24/185; D34/14
CPC ... G06F 1/1601; G06F 1/1643; H05K 5/0004;
H05K 5/0017; H05K 5/02; H05K 5/0217
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D486,486 S 2/2004 Jobs et al.
D509,826 S 9/2005 Jobs et al.
D521,996 S * 5/2006 Kim et al. D14/375

D622,233 S 8/2010 Shin et al.
D624,062 S * 9/2010 Kasuga et al. D14/239
D624,063 S * 9/2010 Kasuga et al. D14/239
D682,285 S * 5/2013 Skinner et al. D14/451

(Continued)

FOREIGN PATENT DOCUMENTS

KR 30-2005-0009640 2/2006
KR 30-2011-0014352 6/2012

Primary Examiner — Randall Gholson

(74) *Attorney, Agent, or Firm* — NSIP Law


(57) **CLAIM**

We claim the ornamental design for a stand for monitor, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a stand for monitor showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left-side view thereof;
FIG. 5 is a right-side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a front perspective view of the stand for monitor in which a monitor is provided in broken lines to illustrate an example environment;
FIG. 9 is a rear perspective view of the stand for monitor in which a monitor is provided in broken lines to illustrate an example environment;
FIG. 10 is a right-side view of the stand for monitor in which a monitor is provided in broken lines to illustrate an example environment; and,
FIG. 11 is another right-side view of the stand for monitor shown in a closed position in which a monitor is provided in broken lines to illustrate an example environment.
The broken lines in the figures show portions of the stand for monitor which form no part of the claimed design.

1 Claim, 11 Drawing Sheets



(56)	References Cited		D694,209 S *	11/2013	Cho et al.	D14/126
			D695,244 S *	12/2013	Wolff et al.	D14/126
	U.S. PATENT DOCUMENTS		D706,734 S *	6/2014	Takami et al.	D14/126
			D691,998 S *	10/2013	Seo et al.	D14/374
			D694,208 S *	11/2013	Duys et al.	D14/126
						* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

