

US00D759184S

(12)

United States Design Patent
Quinnan

(10)

Patent No.: **US D759,184 S**

(45)

Date of Patent: **** Jun. 14, 2016**

(54)

RIFLE SLING

(71)

Applicant: **Timothy Quinnan**, Broomfield, CO
(US)

(72)

Inventor: **Timothy Quinnan**, Broomfield, CO
(US)

(73)

Assignee: **The Allen Company, Inc.**, Broomfield,
CO (US)

(**)

Term: **14 Years**

D271,512

S

*

11/1983

Horst

D22/108

4,562,945

A

1/1986

Erlandson

5,110,022

A

*

5/1992

Dvoroznak

F41C 33/001
224/150

5,642,584

A

7/1997

Riggenbach

5,669,170

A

9/1997

Norris

5,802,756

A

*

9/1998

Hightower

F41C 33/002
42/85

6,647,656

B2

*

11/2003

Mazzagetti

F41C 33/002
224/150

D489,182

S

*

5/2004

Tilby

D3/327

7,270,254

B2

9/2007

Kakouras

D745,630

S

*

12/2015

Eitan

D22/108

D745,631

S

*

12/2015

Eitan

D22/108

* cited by examiner

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Boyd D. Cox

(21) Appl. No.: **29/511,547**

(22) Filed: **Dec. 11, 2014**

(51) **LOC (10) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/108**

(58) **Field of Classification Search**
USPC D22/108; D29/101.1, 101.2;
D21/572–575
CPC F41C 33/002; F41C 33/001; F41C 33/006;
F41C 33/007; F41C 23/02; A45F 2003/142;
A45F 3/12
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a rifle sling, as shown.

DESCRIPTION

FIG. 1 is a front elevation of the rifle sling of the present invention;
FIG. 2 is a rear elevation of the rifle sling of FIG. 1;
FIG. 3 is a right side elevation of the rifle sling of FIG. 1;
FIG. 4 is a left side elevation of the rifle sling of FIG. 1;
FIG. 5 is a top plan view of the rifle sling of FIG. 1; and,
FIG. 6 is a bottom plan view of the rifle sling of FIG. 1.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,299,343

A

11/1981

Atchisson


4,386,723

A

6/1983

Mule

1 Claim, 6 Drawing Sheets






FIGURE 1




FIGURE 2



FIGURE 3



FIGURE 4



FIGURE 5



FIGURE 6