



US00D759227S

(12) **United States Design Patent**
Lofy et al.

(10) **Patent No.:** **US D759,227 S**

(45) **Date of Patent:** **** *Jun. 14, 2016**

(54) **COVER**

(71) Applicant: **Gentherm Incorporated**, Northville, MI (US)

(72) Inventors: **John David Lofy**, Claremont, CA (US);
Masahiko Inaba, Chino Hills, CA (US)

(73) Assignee: **Gentherm Incorporated**, Northville, MI (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/507,557**

(22) Filed: **Oct. 29, 2014**

(51) **LOC (10) Cl.** **23-04**

(52) **U.S. Cl.**
USPC **D23/370**

(58) **Field of Classification Search**
USPC D23/370–385, 411–414, 59;
392/360–364; 416/5, 170 R, 93 R,
416/210 R, 223 R, 207
CPC F04D 29/34; F04D 29/38; F04D 25/088
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|----------------|-------|-----------|
| D51,098 S * | 7/1917 | O’Leary | | D23/411 |
| 2,001,522 A | 5/1935 | Chester | | |
| D136,162 S * | 8/1943 | Lee | | 416/223 R |
| 2,393,933 A | 1/1946 | Poole | | |
| D195,287 S * | 5/1963 | Downing | | D23/370 |
| 4,531,890 A | 7/1985 | Stokes | | |
| D325,628 S * | 4/1992 | Cho | | D23/370 |
| 5,336,050 A | 8/1994 | Guida et al. | | |
| 6,003,950 A | 12/1999 | Larsson | | |
| 6,547,519 B2 | 4/2003 | deBlanc et al. | | |
| D482,779 S * | 11/2003 | Shapiro | | D23/412 |
| D483,473 S * | 12/2003 | Shapiro | | D23/412 |
| D492,402 S * | 6/2004 | Shapiro | | D23/412 |
| D513,437 S * | 1/2006 | Wilhelm | | D23/412 |

| | | | | |
|-------------------|---------|--------------|-------|-----------------------|
| D586,456 S * | 2/2009 | Guthrie | | D23/412 |
| D599,471 S * | 9/2009 | Borovicka | | D23/412 |
| D615,557 S * | 5/2010 | Mayer | | D15/5 |
| D629,097 S * | 12/2010 | Aoyama | | D23/412 |
| D681,799 S * | 5/2013 | Pan | | D23/412 |
| D683,841 S * | 6/2013 | McNicholas | | D23/328 |
| D690,000 S * | 9/2013 | Spoerl | | D23/378 |
| D695,385 S * | 12/2013 | McNicholas | | D23/354 |
| D696,765 S * | 12/2013 | Spoerl | | D23/378 |
| D723,154 S * | 2/2015 | Cheng | | D23/412 |
| D740,405 S * | 10/2015 | Yamaguchi | | D23/355 |
| 2006/0171804 A1 | 8/2006 | Brown et al. | | |
| 2009/0123281 A1 * | 5/2009 | Taylor | | F04D 29/38 415/220 |
| 2010/0098544 A1 | 4/2010 | Keber et al. | | |
| 2012/0114512 A1 | 5/2012 | Lofy et al. | | |

OTHER PUBLICATIONS

Bleier, P.E., “Fan Handbook: Selection, Application, and Design”, (1998), pp. 7.37; 7.44.
“Fans & Blowers”, ebm Papst, Catalog F9, pp. 135-136 (1997).
Compending Design U.S. Appl. No. 29/498,170, filed Jul. 31, 2014.

* cited by examiner

Primary Examiner — Sandra Snapp
(74) *Attorney, Agent, or Firm* — The Dobrusin Law Firm, P.C.

(57) **CLAIM**
The ornamental design for a cover, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the present invention.
FIG. 2 is a top view of the embodiment shown in FIG. 1.
FIG. 3 is a bottom view of the embodiment shown in FIG. 1.
FIG. 4 is a side view of the embodiment shown in FIG. 1, the other side being a mirror image.
FIG. 5 is a front view of the embodiment shown in FIG. 1, the back being a mirror image.
FIG. 6 is a top perspective view illustrating one possible use of the ornamental design embodiment as claimed herein as a cover for an air mover.
FIG. 7 is a perspective view of a second embodiment of the present invention.




FIG. 8 is a top view of the embodiment shown in FIG. 7.
FIG. 9 is a bottom view of the embodiment shown in FIG. 7.
FIG. 10 is a side view of the embodiment shown in FIG. 7, the other side being a mirror image.
FIG. 11 is a front view of the embodiment shown in FIG. 7, the back being a mirror image.
FIG. 12 is a perspective view of a third embodiment of the present invention.
FIG. 13 is a top view of the embodiment shown in FIG. 12.
FIG. 14 is a bottom view of the embodiment shown in FIG. 12.
FIG. 15 is a side view of the embodiment shown in FIG. 12, the other side being a mirror image.
FIG. 16 is a front view of the embodiment shown in FIG. 12, the back being a mirror image.
FIG. 17 is a perspective view of a fourth embodiment of the present invention.
FIG. 18 is a top view of the embodiment shown in FIG. 17.
FIG. 19 is a bottom view of the embodiment shown in FIG. 17.
FIG. 20 is a side view of the embodiment shown in FIG. 17, the other side being a mirror image.
FIG. 21 is a front view of the embodiment shown in FIG. 17, the back being a mirror image.

FIG. 22 is a perspective view of a fifth embodiment of the present invention.
FIG. 23 is a top view of the embodiment shown in FIG. 22.
FIG. 24 is a bottom view of the embodiment shown in FIG. 22.
FIG. 25 is a side view of the embodiment shown in FIG. 22, the other side being a mirror image.
FIG. 26 is a front view of the embodiment shown in FIG. 22, the back being a mirror image.
FIG. 27 is a perspective view of a sixth embodiment of the present invention.
FIG. 28 is a top view of the embodiment shown in FIG. 27.
FIG. 29 is a bottom view of the embodiment shown in FIG. 27.
FIG. 30 is a side view of the embodiment shown in FIG. 27, the other side being a mirror image; and,
FIG. 31 is a front view of the embodiment shown in FIG. 27, the back being a mirror image.
The broken lines showing environment in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 18 Drawing Sheets




Figure 1




Figure 2




Figure 3




Figure 4



Figure 5




Figure 6




Figure 7




Figure 8




Figure 9



Figure 10



Figure 11




Figure 12




Figure 13




Figure 14




Figure 15



Figure 16




Figure 17




Figure 18




Figure 19



Figure 20




Figure 21




Figure 22




Figure 23




Figure 24




Figure 25




Figure 26




Figure 27




Figure 28




Figure 29



Figure 30




Figure 31