



US00D759227S

(12) **United States Design Patent**
Lofy et al.

(10) **Patent No.:** **US D759,227 S**

(45) **Date of Patent:** **** *Jun. 14, 2016**

(54) **COVER**

(71) Applicant: **Gentherm Incorporated**, Northville, MI (US)

(72) Inventors: **John David Lofy**, Claremont, CA (US);
Masahiko Inaba, Chino Hills, CA (US)

(73) Assignee: **Gentherm Incorporated**, Northville, MI (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/507,557**

(22) Filed: **Oct. 29, 2014**

(51) **LOC (10) Cl.** **23-04**

(52) **U.S. Cl.**
USPC **D23/370**

(58) **Field of Classification Search**

USPC D23/370–385, 411–414, 59;
392/360–364; 416/5, 170 R, 93 R,
416/210 R, 223 R, 207

CPC F04D 29/34; F04D 29/38; F04D 25/088
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D51,098	S	*	7/1917	O’Leary	D23/411
2,001,522	A		5/1935	Chester		
D136,162	S	*	8/1943	Lee	416/223 R
2,393,933	A		1/1946	Poole		
D195,287	S	*	5/1963	Downing	D23/370
4,531,890	A		7/1985	Stokes		
D325,628	S	*	4/1992	Cho	D23/370
5,336,050	A		8/1994	Guida et al.		
6,003,950	A		12/1999	Larsson		
6,547,519	B2		4/2003	deBlanc et al.		
D482,779	S	*	11/2003	Shapiro	D23/412
D483,473	S	*	12/2003	Shapiro	D23/412
D492,402	S	*	6/2004	Shapiro	D23/412
D513,437	S	*	1/2006	Wilhelm	D23/412

D586,456	S	*	2/2009	Guthrie	D23/412
D599,471	S	*	9/2009	Borovicka	D23/412
D615,557	S	*	5/2010	Mayer	D15/5
D629,097	S	*	12/2010	Aoyama	D23/412
D681,799	S	*	5/2013	Pan	D23/412
D683,841	S	*	6/2013	McNicholas	D23/328
D690,000	S	*	9/2013	Spoerl	D23/378
D695,385	S	*	12/2013	McNicholas	D23/354
D696,765	S	*	12/2013	Spoerl	D23/378
D723,154	S	*	2/2015	Cheng	D23/412
D740,405	S	*	10/2015	Yamaguchi	D23/355
2006/0171804	A1		8/2006	Brown et al.		
2009/0123281	A1*		5/2009	Taylor	F04D 29/38 415/220
2010/0098544	A1		4/2010	Keber et al.		
2012/0114512	A1		5/2012	Lofy et al.		

OTHER PUBLICATIONS

Bleier, P.E., “Fan Handbook: Selection, Application, and Design”, (1998), pp. 7.37; 7.44.
“Fans & Blowers”, ebm Papst, Catalog F9, pp. 135-136 (1997).
Compending Design U.S. Appl. No. 29/498,170, filed Jul. 31, 2014.

* cited by examiner

Primary Examiner — Sandra Snapp

(74) *Attorney, Agent, or Firm* — The Dobrusin Law Firm, P.C.

(57) **CLAIM**

The ornamental design for a cover, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the present invention.

FIG. 2 is a top view of the embodiment shown in FIG. 1.

FIG. 3 is a bottom view of the embodiment shown in FIG. 1.

FIG. 4 is a side view of the embodiment shown in FIG. 1, the other side being a mirror image.

FIG. 5 is a front view of the embodiment shown in FIG. 1, the back being a mirror image.

FIG. 6 is a top perspective view illustrating one possible use of the ornamental design embodiment as claimed herein as a cover for an air mover.

FIG. 7 is a perspective view of a second embodiment of the present invention.




FIG. 8 is a top view of the embodiment shown in FIG. 7.
FIG. 9 is a bottom view of the embodiment shown in FIG. 7.
FIG. 10 is a side view of the embodiment shown in FIG. 7, the other side being a mirror image.
FIG. 11 is a front view of the embodiment shown in FIG. 7, the back being a mirror image.
FIG. 12 is a perspective view of a third embodiment of the present invention.
FIG. 13 is a top view of the embodiment shown in FIG. 12.
FIG. 14 is a bottom view of the embodiment shown in FIG. 12.
FIG. 15 is a side view of the embodiment shown in FIG. 12, the other side being a mirror image.
FIG. 16 is a front view of the embodiment shown in FIG. 12, the back being a mirror image.
FIG. 17 is a perspective view of a fourth embodiment of the present invention.
FIG. 18 is a top view of the embodiment shown in FIG. 17.
FIG. 19 is a bottom view of the embodiment shown in FIG. 17.
FIG. 20 is a side view of the embodiment shown in FIG. 17, the other side being a mirror image.
FIG. 21 is a front view of the embodiment shown in FIG. 17, the back being a mirror image.

FIG. 22 is a perspective view of a fifth embodiment of the present invention.
FIG. 23 is a top view of the embodiment shown in FIG. 22.
FIG. 24 is a bottom view of the embodiment shown in FIG. 22.
FIG. 25 is a side view of the embodiment shown in FIG. 22, the other side being a mirror image.
FIG. 26 is a front view of the embodiment shown in FIG. 22, the back being a mirror image.
FIG. 27 is a perspective view of a sixth embodiment of the present invention.
FIG. 28 is a top view of the embodiment shown in FIG. 27.
FIG. 29 is a bottom view of the embodiment shown in FIG. 27.
FIG. 30 is a side view of the embodiment shown in FIG. 27, the other side being a mirror image; and,
FIG. 31 is a front view of the embodiment shown in FIG. 27, the back being a mirror image.
The broken lines showing environment in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 18 Drawing Sheets




Figure 1




Figure 2




Figure 3




Figure 4



Figure 5




Figure 6




Figure 7




Figure 8




Figure 9



Figure 10



Figure 11




Figure 12




Figure 13




Figure 14



Figure 15



Figure 16




Figure 17




Figure 18




Figure 19




Figure 20




Figure 21




Figure 22




Figure 23




Figure 24




Figure 25




Figure 26




Figure 27




Figure 28




Figure 29




Figure 30




Figure 31