



US00D759520S

(12) **United States Design Patent**  
**Bolea et al.**

(10) **Patent No.:** **US D759,520 S**  
(45) **Date of Patent:** **\*\* \*Jun. 21, 2016**

(54) **HANDHELD LUMINOMETER**  
(71) Applicant: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)  
(72) Inventors: **Phillip A. Bolea**, Grant, MN (US); **Thomas J. Brace**, St. Paul, MN (US); **Thomas E. Dewey, Jr.**, Hudson, WI (US); **Arthur V. Lang**, Maplewood, MN (US); **Fusu Thao**, Cottage Grove, MN (US)

7,981,362 B2 7/2011 Glezer  
8,352,207 B2 \* 1/2013 Tokhtuev ..... G01N 21/274  
702/104  
D684,876 S \* 6/2013 Laurino ..... D10/78  
D701,130 S \* 3/2014 Laurino ..... D10/78  
8,823,928 B2 \* 9/2014 Herzog ..... G01H 9/00  
356/213  
8,951,472 B2 \* 2/2015 Kellner ..... G01N 21/6428  
422/68.1

(Continued)

**FOREIGN PATENT DOCUMENTS**

(73) Assignee: **3M INNOVATIVE PROPERTIES COMPANY**, Saint Paul, MN (US)

DE 19840055 3/2000  
GB 2223095 3/1990  
JP S1359649 5/2009

(Continued)

(\*) Notice: This patent is subject to a terminal disclaimer.

*Primary Examiner* — Antoine D Davis

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — 3M Innovative Properties Company; Eric E. Silverman

(21) Appl. No.: **29/520,388**

(57) **CLAIM**

(22) Filed: **Mar. 13, 2015**

The ornamental design for a handheld luminometer, as shown and described.

(51) **LOC (10) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/81**

**DESCRIPTION**

(58) **Field of Classification Search**  
USPC ..... D10/78, 81; D24/186, 216, 232–234  
CPC ... G01N 21/76; G01N 21/763; G01N 21/766;  
G01N 21/94; G01N 2201/022; G01N  
2201/0221; G01N 2201/0222; G01J 1/4228;  
G01J 2001/4233; G01J 2001/4238; G01J  
2001/4242; G01J 2001/4247; G01J  
2001/4252; G01J 1/4257

FIG. 1 is a front perspective view of a handheld luminometer embodying the new design;  
FIG. 2 is a front view of a handheld luminometer embodying the new design;  
FIG. 3 is a right side view of a handheld luminometer embodying the new design;  
FIG. 4 is a back view of a handheld luminometer embodying the new design;  
FIG. 5 is a left side view of a handheld luminometer embodying the new design;  
FIG. 6 is a top plan view of a handheld luminometer embodying the new design;  
FIG. 7 is a bottom plan view of a handheld luminometer embodying the new design; and,  
FIG. 8 is a back perspective view of a handheld luminometer embodying the new design.  
The broken lines showing form no part of the claimed design.


See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,755,055 A 7/1988 Johnson  
5,086,233 A 2/1992 Stafford  
5,827,675 A 10/1998 Skiffington  
6,197,254 B1 3/2001 Silver  
7,505,128 B2 \* 3/2009 Zribi ..... G01J 3/02  
356/301

**1 Claim, 5 Drawing Sheets**



(56)

References Cited

2015/0346097 A1\* 12/2015 Battrell ..... G01N 21/6428  
435/6.11


U.S. PATENT DOCUMENTS

D731,339 S \* 6/2015 Laurino ..... D10/78  
2003/0119030 A1 6/2003 Zilber  
2004/0149899 A1 8/2004 Packman  
2006/0166371 A1 7/2006 Testa  
2006/0216196 A1 9/2006 Satoh  
2007/0257202 A1 11/2007 Walker  
2010/0068750 A1 3/2010 Pogosjan  
2010/0129840 A1 5/2010 Charm  
2011/0143947 A1 6/2011 Chamberlin  
2012/0329081 A1 12/2012 Bennion  
2014/0004548 A1 1/2014 Gordon  
2014/0154792 A1 6/2014 Moynihan

FOREIGN PATENT DOCUMENTS

JP 2009-264821 11/2009  
JP HC21069353 3/2010  
JP HC23014274 2/2012  
JP HC25019512 1/2014  
WO WO 96-14570 5/1996  
WO WO 97-03209 1/1997  
WO WO 98-54578 12/1998  
WO WO 2014-007846 1/2014

\* cited by examiner



*FIG. 1*




FIG. 2




FIG. 3




FIG. 4






FIG. 5



*FIG. 6*



*FIG. 7*




FIG. 8