



US00D759887S

(12) **United States Design Patent**
Seehof et al.

(10) **Patent No.:** **US D759,887 S**
(45) **Date of Patent:** **** Jun. 21, 2016**

(54) **DUAL LIT GRAB RAIL**

F21V 33/006; F21V 15/01; F21V 7/0008;
F21S 4/008

(71) Applicant: **Hansen International, Inc.**, Lexington,
SC (US)

See application file for complete search history.

(72) Inventors: **John J. Seehof**, Blythewood, SC (US);
Sean T. Burns, Lexington, SC (US);
Jeffery W. Berry, Brevard, NC (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,915,112 A * 6/1933 Wittstein A47K 10/04
D6/549
D161,700 S * 1/1951 Marker D26/76
3,569,689 A * 3/1971 Nestrock F21V 33/006
362/146
D269,910 S * 7/1983 Johansson D25/124

(Continued)

Primary Examiner — Cynthia Ramirez

Assistant Examiner — Llorellys Martinez-Rivera

(74) *Attorney, Agent, or Firm* — JK Intellectual Property
Law, PA

(**) Term: **14 Years**

(21) Appl. No.: **29/524,317**

(22) Filed: **Apr. 20, 2015**

Related U.S. Application Data

(62) Division of application No. 29/507,838, filed on Oct.
31, 2014, now Pat. No. Des. 751,243.

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/118; D25/41.1**

(58) **Field of Classification Search**

USPC D26/25–26, 28, 51, 55–57, 59–64, 66,
D26/72–91, 93, 113, 118–120, 122, 138,
D26/140–142; D25/38.1, 40, 41.1, 43, 44;
362/145–148, 150–153, 153.1, 217.01,
362/217.02, 217.05, 217.07, 217.1, 217.15,
362/218, 223, 241, 249, 249.02, 296.07,
362/296.08, 294, 299, 311.02, 362, 373,
362/600, 608, 609, 640, 641; 256/59;
182/106, 113; 4/511; 211/124, 123,
211/100; D8/300, 303, 315; D6/549;
D21/673
CPC E04F 2011/1885; E04F 2011/1872;
E06C 7/181; E06C 7/182; E06C 7/183;
E06C 7/187; B60Q 3/0233; B60Q 1/24;
B60Q 1/2661; B60Q 2400/40; F21Y 2103/00;
F21Y 2101/02; F21W 2111/08; F21V 21/14;
F21V 21/30; F21V 21/02; F21V 21/04;

(57) **CLAIM**


The ornamental design for a dual lit grab rail, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a dual lit grab rail showing our
new design;
FIG. 2 is a right side view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is an end view thereof;
FIG. 7 is an opposite end view thereof; and,
FIG. 8 is another perspective view thereof, showing the dual
lit grab rail in an environment of use.

The broken lines shown in FIGS. 1-8 illustrate portions of the
dual lit grab rail which do not form part of the claimed design.
The dual lit rail is shown with a symbolic break lines along its
length. The appearance of any portion of the dual lit rail
between the break lines forms no part of the claimed design.

1 Claim, 5 Drawing Sheets




(56)

References Cited

U.S. PATENT DOCUMENTS

4,895,332 A *	1/1990	Hansen	A47K 3/003	D621,955 S	8/2010	Seehof	
				256/59	D630,768 S	1/2011	Witiak	
5,200,240 A *	4/1993	Baker	E04F 11/18	D634,876 S *	3/2011	McGrath D26/79
				256/59	D647,213 S	10/2011	Seehof	
D361,153 S *	8/1995	Fernandes	D13/155	D647,214 S	10/2011	Seehof	
D389,460 S *	1/1998	Wei-Hong	D13/155	D647,215 S	10/2011	Seehof	
5,779,228 A *	7/1998	Hansen	B60Q 3/0233	D647,629 S	10/2011	Seehof	
				256/59	D647,630 S	10/2011	Seehof	
D474,281 S	5/2003	Hansen			D647,631 S	10/2011	Seehof	
7,226,191 B1 *	6/2007	Martinez	B60N 3/026	D648,039 S	11/2011	Seehof	
				362/400	D681,873 S *	5/2013	Hoch D26/141
D550,885 S *	9/2007	Crosby	D26/75	8,567,986 B2 *	10/2013	Szprengiel F21S 8/043
D564,854 S *	3/2008	Thompson	D8/300				362/217.01
D591,427 S *	4/2009	Stimpson	D25/41.1	2010/0220476 A1 *	9/2010	Kuo F21K 9/00
D608,018 S *	1/2010	Stimpson	D25/41.1				362/235
D617,488 S *	6/2010	Cho	D26/76	2011/0038144 A1 *	2/2011	Chang F21K 9/00
								362/218
					2013/0182428 A1	7/2013	Seehof et al.	

* cited by examiner






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8