

US00D759888S

(12) **United States Design Patent**
Seehof et al.

(10) **Patent No.:** **US D759,888 S**
(45) **Date of Patent:** **** Jun. 21, 2016**

(54) **DUAL LIT GRAB RAIL ASSEMBLY**

F21V 21/04; F21V 33/006; F21V 15/01;
F21V 7/0008; F21S 4/008

(71) Applicant: **Hansen International, Inc.**, Lexington,
SC (US)

See application file for complete search history.

(72) Inventors: **John J. Seehof**, Blythewood, SC (US);
Sean T. Burns, Lexington, SC (US);
Jeffery W Berry, Brevard, NC (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,915,112 A * 6/1933 Wittstein A47K 10/04
D6/549
D137,334 S * 2/1944 Siemens D26/119

(Continued)

(73) Assignee: **Hansen International, Inc.**, Lexington,
SC (US)

(**) Term: **14 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/524,324**

Citation of Related Applications Form.

(22) Filed: **Apr. 20, 2015**

Primary Examiner — Cynthia Ramirez

Assistant Examiner — Llorellys Martinez-Rivera

(74) *Attorney, Agent, or Firm* — JK Intellectual Property
Law, PA

Related U.S. Application Data

(62) Division of application No. 29/507,847, filed on Oct.
31, 2014.

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/118; D25/41.1**

(57) **CLAIM**

The ornamental design for a dual lit grab rail assembly, as
shown and described.

(58) **Field of Classification Search**

DESCRIPTION

USPC D26/25–26, 28, 51, 55–57, 59–64, 66,
D26/72–91, 93, 113, 118–120, 122, 138,
D26/140–142; D25/38.1, 40, 41.1, 43, 44;
362/145–148, 150–153, 153.1, 217.01,
362/217.02, 217.05, 217.07, 217.1, 217.15,
362/218, 223, 241, 249, 249.02, 296.07,
362/296.08, 294, 299, 311.02, 362, 373,
362/600, 608, 609, 640, 641; 256/59;
182/106, 113; 4/511; 211/124, 123,
211/100; D8/300, 303, 315; D6/549;
D21/673


CPC ... E04F 11/1804; E04F 11/18; E04F 11/1802;
E04F 11/1836; E04F 2011/1885; E04F
2011/1872; E06C 7/181; E06C 7/182; E06C
7/183; E06C 7/187; B60Q 3/0233; B60Q
1/24; B60Q 1/2661; B60Q 2400/40; F21Y
2103/00; F21Y 2101/02; F21W 2111/08;
F21V 21/14; F21V 21/30; F21V 21/02;

FIG. 1 is a perspective view of a dual lit grab rail assembly
showing our new design;
FIG. 2 is a right side view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is an end view thereof; and,
FIG. 7 is an opposite end view thereof.

The broken lines shown in FIGS. 1-7 illustrate portions of the
dual lit grab rail assembly which do not form part of the
claimed design.

The dual lit rail assembly is shown with a symbolic break
lines along its length. The appearance of any portion of the
dual lit rail assembly between the break lines forms no part of
the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D161,700 S * 1/1951 Marker D26/76

3,569,689 A * 3/1971 Nestrock F21V 33/006

4,895,332 A * 1/1990 Hansen A47K 3/003

5,200,240 A * 4/1993 Baker E04F 11/18

D389,460 S * 1/1998 Wei-Hong D26/113

5,779,228 A * 7/1998 Hansen F21S 4/20

D474,281 S 5/2003 Hansen

D509,906 S * 9/2005 Enersen D25/38.1

7,226,191 B1 * 6/2007 Martinez B60Q 1/323

D550,885 S * 9/2007 Crosby D26/75

D564,854 S * 3/2008 Thompson D8/300

D591,427 S * 4/2009 Stimpson D25/41.1

D608,018 S * 1/2010 Stimpson D25/41.1

D621,955 S 8/2010 Seehof

D630,768 S * 1/2011 Witiak D25/41.1

D647,213 S 10/2011 Seehof

D647,214 S 10/2011 Seehof

D647,215 S 10/2011 Seehof

D647,629 S 10/2011 Seehof

D647,630 S 10/2011 Seehof

D647,631 S 10/2011 Seehof

D648,039 S 11/2011 Seehof

D681,873 S * 5/2013 Hoch D26/141

8,567,986 B2 * 10/2013 Szprengiel F21S 8/043

D745,362 S * 12/2015 Grasselli D8/315

2013/0182428 A1 7/2013 Seehof et al.

2016/0033107 A1 * 2/2016 Windom F21B 5/006

362/146

256/59

256/59

256/59

362/400

362/184

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7