



US00D759902S

(12) **United States Design Patent**
Kim

(10) **Patent No.:** **US D759,902 S**
(45) **Date of Patent:** **** Jun. 21, 2016**

(54) **FIRE EXTINGUISHER FOR VEHICLE**

(71) Applicant: **Kia Motors Corporation**, Seoul (KR)

(72) Inventor: **Hyun-Tae Kim**, Seoul (KR)

(73) Assignee: **Kia Motors Corporation**, Seoul (KR)

(**) Term: **15 Years**

(21) Appl. No.: **29/528,263**

(22) Filed: **May 27, 2015**

(30) **Foreign Application Priority Data**

Nov. 27, 2014 (KR) 30-2014-0057329

(51) **LOC (10) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/125**

(58) **Field of Classification Search**
USPC D23/355-369, 213, 214, 223, 224, 225,
D23/231; D28/5, 6; 261/DIG. 17, DIG. 42,
261/DIG. 65, DIG. 88, DIG. 89, DIG. 47,
261/DIG. 55, DIG. 70; 392/356, 390, 392,
392/394, 395; 239/34, 44, 53, 55, 56, 326,
239/60, 308, 589; D9/687, 600, 695;
D7/591; D29/125, 126, 129, 130;
169/7, 89; 222/210, 324
CPC A62C 2/00; A62C 8/00; A62C 13/76
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,019,584 A * 4/1977 Allmendinger A62C 13/64
169/74
D246,325 S * 11/1977 Rakocy D29/126
D250,353 S * 11/1978 Avant D29/126
D307,648 S * 5/1990 Arrington D29/126
D538,111 S * 3/2007 Liu D7/608
D604,942 S * 12/2009 Smith D3/202

D615,816 S * 5/2010 Joy D7/507
D626,416 S * 11/2010 Cresswell D7/510
D628,486 S * 12/2010 Lane D7/510
D631,666 S * 2/2011 Lim D4/129
D664,809 S * 8/2012 Eyal D7/510
D667,269 S * 9/2012 Pallotto D7/510
D674,154 S * 1/2013 Shin D29/125
D682,034 S * 5/2013 El-Saden D7/510
D693,170 S * 11/2013 Rosbach D7/392.1
D702,000 S * 4/2014 Hudak D29/125
D702,092 S * 4/2014 Mettler D7/608
D702,506 S * 4/2014 Mettler D7/608
D704,070 S * 5/2014 Pires D9/689
D712,254 S * 9/2014 Geis D9/436

* cited by examiner

Primary Examiner — Randall Gholson

(74) *Attorney, Agent, or Firm* — Mintz Levin Cohn Ferris
Glovsky and Popeo, P.C.; Kongsik Kim

(57) **CLAIM**

The ornamental design for a fire extinguisher for vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a fire extinguisher for vehicle according to the present invention.

FIG. 2 is a bottom perspective view of the fire extinguisher for vehicle of FIG. 1.

FIG. 3 is a front view of the fire extinguisher for vehicle of FIG. 1.

FIG. 4 is a rear view of the fire extinguisher for vehicle of FIG. 1.

FIG. 5 is a left side view of the fire extinguisher for vehicle of FIG. 1.

FIG. 6 is a right side view of the fire extinguisher for vehicle of FIG. 1.

FIG. 7 is a top view of the fire extinguisher for vehicle of FIG. 1; and,

FIG. 8 is a bottom view of the fire extinguisher for vehicle of FIG. 1.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

