

US00D760230S

(12) **United States Design Patent**
Iizuka et al.

(10) **Patent No.:** **US D760,230 S**
(45) **Date of Patent:** **** Jun. 28, 2016**

(54) **PIEZOELECTRIC VIBRATION DEVICE**

(71) Applicant: **Daishinku Corporation**, Kakogawa-shi, Hyogo (JP)

(72) Inventors: **Minoru Iizuka**, Kakogawa (JP); **Takuya Kojo**, Kakogawa (JP)

(73) Assignee: **DAISHINKU CORPORATION**, Hyogo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/519,708**

(22) Filed: **Mar. 6, 2015**

(30) **Foreign Application Priority Data**



Sep. 16, 2014 (JP) 2014-020382
Sep. 16, 2014 (JP) 2014-020383

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/435; D13/184**

(58) **Field of Classification Search**
USPC 2/DIG. 6; 5/417, 419-420, 465, 5/632-634; 108/43; 248/118, 118.1, 248/118.3, 118.5, 205.2, 346, 346.01, 248/346.07, 346.1, 438, 633, 918; 273/338, 273/438, DIG. 30; 297/218.1, 228.12, 352, 297/377, 440.1, 440.11, 440.15, 452.1, 297/452.16; 312/208.1-208.4, 223.2, 322; 340/710; 345/163, 173; 360/69, 97.02; 361/679.33-679.45, 760-767, 361/777-785, 790; 400/412, 713-715; 428/137-138, 140, 304.4, 457; 442/9; D3/273; D6/201, 204, 429-431, 449, D6/474, 509-510; D9/432; D10/65, 75, D10/78; D13/103, 119, 162, 184, 199, 182; D14/110, 114, 125, 240, 242, 299-302, D14/314, 348-370, 435-438, 496, D14/478-480; D18/1, 7, 9, 11; 29/25.35, 29/594, 840, 860; 216/33; 310/344, 348, 310/370, 311-343, 349-369, 371; 331/68,

331/23, 26, 33, 34, 37-41, 44, 46-55, 60, 331/72, 73-77, 78, 88-90, 107 R, 109, 331/113 R, 116 R, 116 M, 139, 143-145, 331/154-165, 172, 175, 176, 187; 333/160, 333/203-212, 219, 219.1, 222, 223-240, 333/245-248
CPC G06K 19/06196; G06K 19/072; G06K 19/0721; G06K 19/0722; G06K 19/0723; G06K 19/0724; G06K 19/0725; G06K 19/0726; G06K 19/0727; G06K 19/0728; G06K 19/073; G06K 19/07309; G06K 19/077; G06K 19/07701; G06K 19/07715; G06K 19/0772; G06K 19/07724; G06K 19/07726; G06K 19/07728; G06F 21/77-21/80; G06F 21/85-21/88; G06F 21/00; G06Q 20/3229; G06Q 20/34; G06Q 20/341; G06Q 20/346; G06Q 20/349; G06Q 20/3563; G06Q 20/3567; G06Q 20/357; G06Q 20/3576; H05K 5/026; H05K 5/0256; H05K 5/0265; H05K 5/0269; H05K 5/0273; H05K 5/0278; H05K 5/0282; H05K 5/0286; H05K 5/0291; H05K 5/0295; H05K 5/03; H05K 5/04; H05K 5/06; H05K 5/061; H05K 5/062; H05K 5/063; H05K 5/064; H05K 5/065; H05K 5/066; H05K 5/067; H05K 5/068; H05K 5/069; H05K 7/00; H05K 7/005; H05K 7/02; H05K 7/023; H05K 7/026; H05K 7/04; H05K 7/10; H05K 7/1418; H05K 7/142; H05K 7/1427-7/1439; H05K 7/1461; H05K 7/1464-7/1474; H05K 7/1479; H05K 7/1481; H05K 7/1485-7/1488; H05K 2201/09745; H05K 2201/09754; H05K 2201/09763; H05K 2201/09772; H05K 2201/098; H05K 2201/09818; H05K 2201/10; H05K 2201/10007; H04N 2201/216; H01L 2924/09701; H01L 2924/00014; H01L 2924/3025; H01L 2924/00; H01L 2224/48091; H01L 2224/48227; H01L 2224/73265; H03H 9/1021; H03H 9/0547; H03H 9/21; H03H 9/215; H03H 9/1014; H03H 9/1035; H03H 9/19; H03H 9/0542; H03H 9/0552; H03H 9/17; H03H 9/0509; H03H 9/08; H03H 9/1071; H03H 9/059; H03H 9/02984; H03H 9/02897; H03H 9/15; H03H 9/172; H03H



9/173; H03H 3/02; H03B 5/04; H03B 5/32;
 H03B 1/02; H03B 2200/0014; H03D 1/00;
 H03D 1/22; H03D 1/2218; H03D 3/00;
 H03D 3/001-3/005; H03D 3/12-3/16; H03D
 3/34; H03D 5/00; H03D 7/005; H03D 7/02;
 H03D 7/12; H03D 7/14; H03D 7/165; H03D
 7/18; H03D 9/00; H03D 13/00; H03D 13/009;
 H03D 2200/0011; H03D 2200/0021; H03K
 5/00; H03K 5/00006; H03K 5/13; H03K
 19/02; H03K 19/084; H03K 19/195; H03K
 21/00; H03K 21/16; H03K 2217/009; H03K
 2217/94; H03K 2217/94005; H03K
 2217/94078; H03K 2217/960775

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

4,471,259 A * 9/1984 Stoermer H03H 9/1014
 257/420
 4,642,510 A * 2/1987 Yamashita H03H 9/0514
 310/344
 4,739,448 A * 4/1988 Rowe H01L 23/66
 333/238
 D320,212 S * 9/1991 Someya D13/184
 5,438,219 A * 8/1995 Kotzan H03H 9/0514
 257/469
 5,635,670 A * 6/1997 Kubota H01G 2/065
 174/524
 5,646,828 A * 7/1997 Degani H01L 23/13
 257/707
 5,880,553 A * 3/1999 Okeshi H03H 9/0514
 310/344
 5,912,592 A * 6/1999 Kikushima H03H 9/0542
 331/158
 5,949,294 A * 9/1999 Kondo H01L 23/58
 310/340
 5,963,430 A * 10/1999 Londa H01L 23/3128
 257/686
 5,982,077 A * 11/1999 Ide H03H 9/1014
 310/348
 6,057,600 A * 5/2000 Kitazawa H01L 23/66
 257/691
 6,215,377 B1 * 4/2001 Douriet H01L 23/49805
 257/728
 6,229,249 B1 * 5/2001 Hatanaka H03B 5/04
 310/348
 6,229,404 B1 * 5/2001 Hatanaka H03B 5/04
 257/698
 D444,132 S * 6/2001 Iwanishi D13/182
 6,339,256 B2 * 1/2002 Akram 257/680
 D453,746 S * 2/2002 Kato D13/182
 6,351,194 B2 * 2/2002 Takahashi 174/262
 6,396,201 B1 * 5/2002 Ide H03H 9/1014
 310/353
 6,445,254 B1 * 9/2002 Shibuya H03B 5/32
 257/701
 D466,873 S * 12/2002 Kasem D13/182
 D472,528 S * 4/2003 Kasem D13/182
 6,590,315 B2 * 7/2003 Beaver H03H 3/04
 310/348
 6,657,523 B2 * 12/2003 Tarui H01L 23/66
 333/160
 6,664,864 B2 * 12/2003 Jiles H03B 5/04
 257/E23.175
 6,667,664 B2 * 12/2003 Akagawa H03B 5/32
 257/698
 D489,338 S * 5/2004 Seddon D13/182
 6,759,913 B2 * 7/2004 Biernacki H03H 9/0547
 310/318
 6,778,029 B2 * 8/2004 Mizusawa H03B 5/36
 310/348
 D497,350 S * 10/2004 Ichitsubo D13/110
 6,917,142 B2 * 7/2005 Koyama H03H 9/1021
 310/344

6,998,925 B2 * 2/2006 Harima H01L 51/5237
 310/348
 D530,708 S * 10/2006 Maruyama D14/240
 D532,758 S * 11/2006 Shimodaira D13/182
 7,132,737 B2 * 11/2006 Miyazaki H03H 9/0542
 257/415
 7,157,836 B2 * 1/2007 Kinoshita G01C 19/56
 310/344
 7,161,371 B2 * 1/2007 Higashitani H01L 21/4857
 257/E21.503
 7,218,036 B2 * 5/2007 Shimodaira H03B 5/36
 310/340
 7,239,211 B2 * 7/2007 Tanaka H03B 5/32
 331/108 C
 7,256,659 B2 * 8/2007 Mizumura H03B 5/36
 310/344
 D562,273 S * 2/2008 Koyama D13/184
 7,354,800 B2 * 4/2008 Carson H01L 25/0652
 257/686
 7,456,552 B2 * 11/2008 Chiba H03H 9/1021
 310/348
 7,501,746 B2 * 3/2009 Naruse H03H 9/0552
 310/340
 7,932,786 B2 * 4/2011 Moriya H03H 9/0547
 257/778
 8,022,777 B2 * 9/2011 Stolpman H03L 1/04
 331/116 FE
 D660,828 S * 5/2012 Petsch D14/240
 8,253,505 B2 * 8/2012 Ogura G01C 19/5783
 310/348
 8,294,526 B2 * 10/2012 Stolpman H03L 1/04
 331/108 C
 8,421,543 B2 * 4/2013 Hsu H03H 9/0547
 331/158
 8,446,225 B2 * 5/2013 Liu H03B 1/02
 310/348
 D696,653 S * 12/2013 Ohashi D14/240
 8,675,369 B2 * 3/2014 Takatori H01L 23/5385
 174/260
 D731,491 S * 6/2015 Larson D14/435
 9,064,878 B2 * 6/2015 Lin H01L 23/552
 9,209,780 B2 * 12/2015 Chen H03H 9/17
 9,219,217 B2 * 12/2015 Kojo H03B 5/32
 2001/0019292 A1 * 9/2001 Funahara H05K 1/181
 331/68
 2002/0036546 A1 * 3/2002 Hatanaka H03B 5/32
 331/68
 2002/0044215 A1 * 4/2002 Takagi H01L 25/16
 348/374
 2003/0148558 A1 * 8/2003 Kubo H01L 21/76838
 438/128
 2003/0234697 A1 * 12/2003 Jeong H03B 5/366
 331/158
 2004/0135645 A1 * 7/2004 Koyama H03H 9/1021
 331/158
 2004/0160145 A1 * 8/2004 Takeuchi H01L 41/053
 310/348
 2004/0178858 A1 * 9/2004 Miyazaki H03H 9/0547
 331/158
 2004/0224441 A1 * 11/2004 Saito H01L 24/12
 438/119
 2005/0040905 A1 * 2/2005 Hatanaka H03L 1/04
 331/176
 2005/0055814 A1 * 3/2005 Hatanaka H01L 24/97
 29/25.35
 2005/0212387 A1 * 9/2005 Sasagawa H03H 9/1021
 310/348
 2005/0225406 A1 * 10/2005 Miura H03L 1/04
 331/176
 2006/0012446 A1 * 1/2006 Hardy H03L 1/022
 331/176
 2006/0191715 A1 * 8/2006 Koyama H05K 3/20
 174/264
 2007/0148829 A1 * 6/2007 Yoshino H05K 3/4046
 438/128
 2007/0176517 A1 * 8/2007 Moriya H03H 9/0509
 310/348
 2007/0199185 A1 * 8/2007 Thalhammer H03H 3/02
 29/25.35

2007/0252480 A1* 11/2007 Tsuchido H03H 9/0595
310/340
2008/0079334 A1* 4/2008 Yong H03H 9/02023
310/361
2008/0129395 A1* 6/2008 Horie H03B 5/04
331/68
2008/0224786 A1* 9/2008 Stolpman H03B 5/04
331/66
2009/0151461 A1* 6/2009 Ishii G01L 1/162
73/702
2009/0153257 A1* 6/2009 Matsuo H03B 5/36
331/116 R
2009/0224634 A1* 9/2009 Murakami H03H 9/1021
310/348
2011/0114353 A1* 5/2011 Iizuka H01L 23/053
174/50.5
2011/0115339 A1* 5/2011 Makibuchi H01L 23/10
310/340
2011/0215678 A1* 9/2011 Kohda H03H 9/1035
310/344
2011/0221546 A1* 9/2011 Yamaji H03H 9/1071
333/193
2011/0234047 A1* 9/2011 Muraki G01K 7/16
310/315
2012/0174360 A1* 7/2012 Sato H03H 9/1021
29/25.35
2012/0182091 A1* 7/2012 Ookubo H03H 3/08
333/193
2012/0204388 A1* 8/2012 Irokawa H03H 3/02
29/25.35
2012/0280759 A1* 11/2012 Kojo H03H 9/1021
331/155
2013/0063217 A1* 3/2013 Sato H03H 9/10
331/68
2013/0098654 A1* 4/2013 Iizuka H01L 23/49805
174/50.5
2013/0135055 A1* 5/2013 Harima H03H 9/0547
331/116 R
2013/0162362 A1* 6/2013 Harima H03B 5/32
331/155
2013/0214646 A1* 8/2013 Kojo H01L 41/0533
310/344
2013/0241359 A1* 9/2013 Naito H01L 41/053
310/348
2013/0264910 A1* 10/2013 Takahashi H01L 41/053
310/348
2014/0001652 A1* 1/2014 Chen H01L 23/00
257/777
2014/0083735 A1* 3/2014 Kohda H03H 9/21
174/50.5
2014/0175943 A1* 6/2014 Iwamura H03H 3/02
310/313 R
2014/0218121 A1* 8/2014 Asamura H03H 9/0538
331/69
2015/0048720 A1* 2/2015 Kim H01L 41/0474
310/348

2015/0108875 A1* 4/2015 Yang H03H 9/0509
310/348
2015/0123737 A1* 5/2015 Yokoo H03H 9/0552
331/34
2015/0155849 A1* 6/2015 Kikuchi H03H 9/172
310/348
2015/0255700 A1* 9/2015 Tamura H01L 41/0475
310/348
2015/0365068 A1* 12/2015 Yamamoto H03H 9/19
310/348
2016/0035962 A1* 2/2016 Yamashita H01L 41/053
310/348

FOREIGN PATENT DOCUMENTS

JP D1099562 S 2/2001
JP D1203016 S 4/2004
JP 2011-30198 A 2/2011
JP 2012-235511 A 11/2012
JP 2013058864 A * 3/2013
JP 2013168893 A * 8/2013

* cited by examiner

Primary Examiner — Susan Moon Lee

(74) Attorney, Agent, or Firm — Brinks Gilson & Lione

(57)

CLAIM

We claim the ornamental design for a piezoelectric vibration device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a first embodiment of a piezoelectric vibration device of the present invention;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a first side view thereof;
FIG. 7 is a second side view thereof;
FIG. 8 is a top view of the piezoelectric vibration device of FIG. 1, shown with the upper IC component and connecting bumps removed;
FIG. 9 is a cross-section view of the piezoelectric vibration device taken along line 9-9 of FIG. 3;
FIG. 10 is a cross-section view of the piezoelectric vibration device taken along line 10-10 of FIG. 3; and,
FIG. 11 is a cross-section view of the piezoelectric vibration device taken along line 11-11 of FIG. 3.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11