



US00D760303S

(12) **United States Design Patent**  
**Choi**

(10) **Patent No.:** **US D760,303 S**  
(45) **Date of Patent:** **\*\* Jun. 28, 2016**

- (54) **RUBBER CRAWLER PAD FOR CRAWLERS**
- (71) Applicant: **XENITH TRACK CO., LTD.**, Daejeon (KR)
- (72) Inventor: **Yong Jae Choi**, Daejeon (KR)
- (73) Assignee: **XENITH TRACK CO., LTD.**, Daejeon (KR)

				305/188
D576,181	S *	9/2008	Busley .....	D15/28
D588,170	S *	3/2009	Kumano .....	D15/28
D599,381	S *	9/2009	Chiang .....	D15/28
7,673,951	B2 *	3/2010	Chiang .....	B62D 55/275
				305/162
D724,627	S *	3/2015	Ijiri .....	D15/28
9,260,144	B2 *	2/2016	Park .....	B62D 55/28
2014/0246899	A1 *	9/2014	Park .....	B62D 55/28
				305/189

(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/529,202**

(22) Filed: **Jun. 4, 2015**  
(51) **LOC (10) Cl.** ..... **15-03**  
(52) **U.S. Cl.**  
USPC ..... **D15/28**

(58) **Field of Classification Search**  
USPC ..... D15/22-26, 28; D21/537, 431, 495;  
305/191, 193, 192, 161, 178, 194, 160,  
305/180, 179, 43, 40, 53, 44, 46, 50, 167,  
305/196, 198, 162, 169, 177, 185, 200-202,  
305/171, 195, 189, 187  
CPC ..... B62D 55/28; B62D 55/18; B62D 55/275;  
B62D 55/26; B62D 55/20; B62D 55/27;  
B62D 55/088; B62D 55/08; B62D 55/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,588,233	A *	5/1986	DenBesten .....	B62D 55/275
				305/51
RE36,025	E *	1/1999	Suzuki .....	B62D 55/275
				305/187
6,213,573	B1 *	4/2001	Nakayama .....	B62D 55/275
				305/111
6,299,265	B1 *	10/2001	Hoffart .....	B62D 55/28
				152/225 R
6,820,948	B2 *	11/2004	Katoh .....	B62D 55/26

\* cited by examiner


*Primary Examiner* — Mark Goodwin  
(74) *Attorney, Agent, or Firm* — Rabin & Berdo, P.C.

(57) **CLAIM**  
The ornamental design for a rubber crawler pad for crawlers, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a rubber crawler pad for crawlers;  
FIG. 2 is a bottom perspective view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a top view thereof;  
FIG. 8 is a bottom view thereof;  
FIG. 9 is a cross-sectional side view taken along line A-A in FIG. 3, wherein hatched lines indicate cut surfaces;  
FIG. 10 is a cross-sectional side view taken along line B-B in FIG. 3, wherein hatched lines indicate cut surfaces;  
FIG. 11 is a vertical cross-sectional front view taken along line C-C in FIG. 8, wherein hatched lines indicate cut surfaces; and,  
FIG. 12 is a vertical cross-sectional front view taken along line D-D in FIG. 8, wherein hatched lines indicate cut surfaces.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9

(A-A Cross-sectional view)




FIG. 10

(B-B Cross Sectional view)




FIG. 11

(C-C Cross Sectional view)




FIG. 12

(D-D Cross Sectional View)