



US00D760873S

(12) **United States Design Patent**  
**Koelper et al.**

(10) **Patent No.:** **US D760,873 S**  
(45) **Date of Patent:** **\*\* Jul. 5, 2016**

- (54) **CONNECTORS FOR A Y-CONNECTOR**
- (71) Applicant: **Corpak MedSystems, Inc.**, Buffalo Grove, IL (US)
- (72) Inventors: **Crystal E. Koelper**, North Barrington, IL (US); **John L. Morici**, Wauconda, IL (US)
- (73) Assignee: **CORPAK MEDSYSTEMS, INC.**, Buffalo Grove, IL (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/510,184**
- (22) Filed: **Nov. 25, 2014**
- (51) **LOC (10) Cl.** ..... **23-01**
- (52) **U.S. Cl.**  
USPC ..... **D23/259**
- (58) **Field of Classification Search**  
USPC ..... D23/259–263, 266–269, 233; 251/215, 251/216; 285/369, 372, 373, 417, 133.11, 285/133.3, 133.21, 133.4, 133.5, 133.6  
CPC ..... F16L 11/00; F16L 37/252; F16L 41/007; E03C 1/26; E03C 1/262; E03C 1/28; E03F 5/04; A61B 5/00; A61M 25/09016  
See application file for complete search history.

4,162,546	A *	7/1979	Shortell	.....	D06F 39/083
					137/602
4,474,392	A *	10/1984	Vassallo	.....	F16L 37/084
					285/347
4,480,656	A *	11/1984	Johnson	.....	D06F 39/08
					134/186
4,583,772	A *	4/1986	Vassallo	.....	F16L 37/084
					285/347
5,007,664	A *	4/1991	Mann	.....	B23K 9/325
					285/132.1
5,104,150	A *	4/1992	Bard	.....	F16L 19/062
					138/89
5,257,826	A *	11/1993	Prassas	.....	F16L 47/04
					285/12
5,344,193	A *	9/1994	Rio	.....	F16L 35/00
					137/312
D389,562	S *	1/1998	Picton	.....	D23/263
D435,637	S *	12/2000	Wales	.....	D23/263
D456,494	S *	4/2002	Whitfield	.....	D23/259
6,442,879	B1 *	9/2002	Callendar	.....	A47G 1/0616
					206/486
D612,918	S *	3/2010	Alcebo	.....	D23/266
D650,888	S *	12/2011	Moretto	.....	D23/259
D654,990	S *	2/2012	Coley	.....	D23/266
D658,273	S *	4/2012	Cardo	.....	D23/263

\* cited by examiner

*Primary Examiner* — Sandra Snapp  
(74) *Attorney, Agent, or Firm* — K&L Gates LLP

(57) **CLAIM**  
The ornamental design for connectors for a Y-connector, as shown and described.

**DESCRIPTION**


FIG. 1 illustrates a perspective view of connectors for a Y-connector according to the present invention; FIG. 2 illustrates a front side elevational view thereof; FIG. 3 illustrates a back side elevational view thereof; FIG. 4 illustrates a right side elevational view thereof; FIG. 5 illustrates a left side elevational view thereof; FIG. 6 illustrates a top plan view thereof; FIG. 7 illustrates a bottom plan view thereof; and, FIG. 8 illustrates a front side elevational view thereof. The ornamental design that is claimed is shown in solid lines in the drawings. Any broken lines in the drawings are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,910,070	A *	5/1933	Spaeth	.....	F16L 37/252
					141/382
D204,184	S *	3/1966	Schulze	.....	D23/263
3,291,670	A *	12/1966	Usab	.....	B29C 49/04
					156/245
3,346,887	A *	10/1967	Sommer	.....	E03C 1/122
					285/129.1
3,376,897	A *	4/1968	Dolder	.....	F16L 41/023
					137/861
3,894,302	A *	7/1975	Lasater	.....	E03C 1/1225
					138/37
4,070,044	A *	1/1978	Carrow	.....	B29C 66/7394
					156/86






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8