



US00D760873S

(12) **United States Design Patent**
Koelper et al.

(10) **Patent No.:** **US D760,873 S**
(45) **Date of Patent:** **** Jul. 5, 2016**

- (54) **CONNECTORS FOR A Y-CONNECTOR**
- (71) Applicant: **Corpak MedSystems, Inc.**, Buffalo Grove, IL (US)
- (72) Inventors: **Crystal E. Koelper**, North Barrington, IL (US); **John L. Morici**, Wauconda, IL (US)
- (73) Assignee: **CORPAK MEDSYSTEMS, INC.**, Buffalo Grove, IL (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/510,184**
- (22) Filed: **Nov. 25, 2014**
- (51) **LOC (10) Cl.** **23-01**
- (52) **U.S. Cl.**
USPC **D23/259**
- (58) **Field of Classification Search**
USPC D23/259–263, 266–269, 233; 251/215, 251/216; 285/369, 372, 373, 417, 133.11, 285/133.3, 133.21, 133.4, 133.5, 133.6
CPC F16L 11/00; F16L 37/252; F16L 41/007; E03C 1/26; E03C 1/262; E03C 1/28; E03F 5/04; A61B 5/00; A61M 25/09016
See application file for complete search history.

4,162,546 A *	7/1979	Shortell	D06F 39/083
				137/602
4,474,392 A *	10/1984	Vassallo	F16L 37/084
				285/347
4,480,656 A *	11/1984	Johnson	D06F 39/08
				134/186
4,583,772 A *	4/1986	Vassallo	F16L 37/084
				285/347
5,007,664 A *	4/1991	Mann	B23K 9/325
				285/132.1
5,104,150 A *	4/1992	Bard	F16L 19/062
				138/89
5,257,826 A *	11/1993	Prassas	F16L 47/04
				285/12
5,344,193 A *	9/1994	Rio	F16L 35/00
				137/312
D389,562 S *	1/1998	Picton	D23/263
D435,637 S *	12/2000	Wales	D23/263
D456,494 S *	4/2002	Whitfield	D23/259
6,442,879 B1 *	9/2002	Callendar	A47G 1/0616
				206/486
D612,918 S *	3/2010	Alcebo	D23/266
D650,888 S *	12/2011	Moretto	D23/259
D654,990 S *	2/2012	Coley	D23/266
D658,273 S *	4/2012	Cardo	D23/263

* cited by examiner

Primary Examiner — Sandra Snapp
(74) *Attorney, Agent, or Firm* — K&L Gates LLP

(57) **CLAIM**
The ornamental design for connectors for a Y-connector, as shown and described.

DESCRIPTION


FIG. 1 illustrates a perspective view of connectors for a Y-connector according to the present invention; FIG. 2 illustrates a front side elevational view thereof; FIG. 3 illustrates a back side elevational view thereof; FIG. 4 illustrates a right side elevational view thereof; FIG. 5 illustrates a left side elevational view thereof; FIG. 6 illustrates a top plan view thereof; FIG. 7 illustrates a bottom plan view thereof; and, FIG. 8 illustrates a front side elevational view thereof. The ornamental design that is claimed is shown in solid lines in the drawings. Any broken lines in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,910,070 A *	5/1933	Spaeth	F16L 37/252
				141/382
D204,184 S *	3/1966	Schulze	D23/263
3,291,670 A *	12/1966	Usab	B29C 49/04
				156/245
3,346,887 A *	10/1967	Sommer	E03C 1/122
				285/129.1
3,376,897 A *	4/1968	Dolder	F16L 41/023
				137/861
3,894,302 A *	7/1975	Lasater	E03C 1/1225
				138/37
4,070,044 A *	1/1978	Carrow	B29C 66/7394
				156/86






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8