



US00D760902S

(12) **United States Design Patent**
Persson

(10) **Patent No.:** **US D760,902 S**
(45) **Date of Patent:** **** Jul. 5, 2016**

- (54) **TRACHEOSTOMY FILTER**
- (71) Applicant: **Atos Medical AB**, Horby (SE)
- (72) Inventor: **Jan-Ove Persson**, Hoor (SE)
- (73) Assignee: **Atos Medical AB** (SE)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/522,723**
- (22) Filed: **Apr. 1, 2015**

(30) **Foreign Application Priority Data**

Oct. 3, 2014 (EM) 002550764-0001
 Oct. 3, 2014 (EM) 002550764-0002

- (51) **LOC (10) Cl.** **24-00**
- (52) **U.S. Cl.**
USPC **D24/162**

- (58) **Field of Classification Search**
USPC D24/162, 110, 107, 110.6, 185, 164,
D24/172, 110.1, 216; 128/201.13, 200.16;
D23/200, 209, 379; 623/9; D7/387
CPC A61M 16/0468; A61M 16/1055;
A61F 2/20; A61F 2/203
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D358,213 S *	5/1995	Sutton	D24/162
D452,911 S *	1/2002	Danielsson	D24/110
D465,568 S *	11/2002	Petherbridge	D24/110
D475,787 S *	6/2003	Zia	D24/162
D483,860 S *	12/2003	Knoch	D24/110
D506,551 S *	6/2005	Booth	D24/162
D507,035 S *	7/2005	Taniguchi	D23/209
D535,750 S *	1/2007	Clawson	D24/162
D555,226 S *	11/2007	Leavitt	D23/209
D569,685 S *	5/2008	Liu	D7/387
D586,459 S *	2/2009	Cabrera	D24/110.1
D599,006 S *	8/2009	Cabrera	D24/110

D602,558 S *	10/2009	Beams	D23/200
D609,803 S *	2/2010	Ungar	D24/110.1
D620,075 S *	7/2010	Yamaguchi	D23/209
D630,721 S *	1/2011	Kenyon	D23/379
D676,567 S *	2/2013	van den Engh	D24/216
D679,812 S *	4/2013	Taylor	D24/162
D684,256 S *	6/2013	Menezes	D24/110
D693,467 S *	11/2013	Doucette	D24/162
D701,315 S *	3/2014	Huang	D24/164
D701,962 S *	4/2014	Chung	D24/164
D708,749 S *	7/2014	Appling	D24/162
D731,048 S *	6/2015	Winter	D24/107

(Continued)

Primary Examiner — Rhea Shields

(74) *Attorney, Agent, or Firm* — Fishman Stewart PLLC


(57) **CLAIM**

The ornamental design for a tracheostomy filter, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of first embodiment of a tracheostomy filter;
 FIG. 2 is a top view of a first embodiment of a tracheostomy filter;
 FIG. 3 is a bottom view of a first embodiment of a tracheostomy filter;
 FIG. 4 is a side/profile view of a first embodiment of a tracheostomy filter;
 FIG. 5 is a perspective view of a second embodiment of a tracheostomy filter;
 FIG. 6 is a top view of a second embodiment of a tracheostomy filter;
 FIG. 7 is a bottom view of a second embodiment of a tracheostomy filter; and,
 FIG. 8 is a side/profile view of a second embodiment of a tracheostomy filter.
 In the drawings, the broken lines are for the purpose of illustrating environment only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D760,902 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D731,049 S *	6/2015	Winter	D24/107	2004/0089291 A1 *	5/2004	Persson	A61M 16/0468
D731,065 S *	6/2015	Winter	D24/110				128/200.16
D731,639 S *	6/2015	Domanskis	D24/110	2009/0043386 A1 *	2/2009	Persson	A61F 2/203
D744,654 S *	12/2015	Gerson	D24/162				623/9
D747,463 S *	1/2016	Bare	D24/110.6	2013/0239958 A1 *	9/2013	Persson	A61M 16/047
2002/0156527 A1 *	10/2002	Persson	A61F 2/20				128/201.13
			623/9	2014/0150779 A1 *	6/2014	Persson	A61M 16/1055
							128/201.13
				2015/0083119 A1 *	3/2015	Persson	A61M 16/0468
							128/201.13

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8