



US00D761192S

(12) **United States Design Patent**
Dixon et al.

(10) **Patent No.:** **US D761,192 S**
(45) **Date of Patent:** **** Jul. 12, 2016**

- (54) **TIRE**
- (71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (72) Inventors: **Max Harold Dixon, Cuyahoga Falls, OH (US); Brandon Jeffrey Gramoll, Grafton, WI (US); Karl Yingfeng Cai, Richfield, OH (US); Susan Lewis Madar, Macedonia, OH (US)**
- (73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (**) Term: **14 Years**
- (21) Appl. No.: **29/487,618**
- (22) Filed: **Apr. 10, 2014**
- (51) **LOC (10) Cl.** **12-15**
- (52) **U.S. Cl.**
USPC **D12/594; D12/600**
- (58) **Field of Classification Search**
USPC **D12/584, 586-590, 594, 599, 600-605, D12/900, 901**
CPC **B60C 11/0302; B60C 11/11; B60C 2011/0346; B60C 2011/0365; B60C 2011/0369; B60C 2011/0381**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,807,679	A *	2/1989	Collette	B60C 11/0306 152/209.18
D388,040	S	12/1997	de Barsy	D12/147
D391,203	S	2/1998	Gillard et al.	D12/146
D398,566	S	9/1998	Marquet et al.	D12/143
D410,420	S	6/1999	de Barsy	D12/147
D411,492	S	6/1999	Young	D12/149
D414,449	S	9/1999	Schuster	D12/146
D449,022	S	10/2001	Cazin-Bourguignon et al.	D12/147
D458,580	S	6/2002	Young et al.	D12/512

D458,584	S	6/2002	Young et al.	D12/600
D470,454	S	2/2003	Helt	D12/582
D504,865	S	5/2005	Maziarka et al.	D12/521
D528,500	S	9/2006	Le et al.	D12/600
D554,055	S	10/2007	Beauguitte et al.	D12/600
D569,334	S	5/2008	Maziarka et al.	D12/600
D583,752	S	12/2008	Georges et al.	D12/553
D583,755	S	12/2008	Takahashi	D12/596
D586,730	S	2/2009	Scheuren et al.	D12/553
D592,589	S	5/2009	Dixon et al.	D12/600
D592,590	S *	5/2009	Janesh	D12/600
D597,478	S	8/2009	Scheuren et al.	D12/584
D598,369	S	8/2009	Beha	D12/602
D598,370	S	8/2009	Beha	D12/602
D599,281	S	9/2009	Scheuren	D12/553
D599,732	S	9/2009	Simon et al.	D12/580
D601,085	S *	9/2009	Janesh	D12/600

(Continued)

OTHER PUBLICATIONS

<http://www.successfuldealer.com/goodyear-unveils-deep-tread-drive-tire/>—Published on Jun. 7, 2011.*

Primary Examiner — Manpreet Matharu

Assistant Examiner — Mojtaba Tehrani

(74) *Attorney, Agent, or Firm* — Robert N. Lipschik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines in the figure drawings depict environmental subject matter only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D601,086 S	9/2009	Maus et al.	D12/602	D637,152 S	5/2011	Maus et al.	D12/602
D601,488 S	10/2009	Maus et al.	D12/600	D641,314 S	7/2011	Strader et al.	D12/602
D613,676 S	4/2010	Nicolas et al.	D12/567	D642,511 S	8/2011	Strader et al.	D12/587
D616,810 S	6/2010	Scheuren et al.	D12/601	D647,040 S	10/2011	Mathonet et al.	D12/588
D626,501 S	11/2010	Cazin-Bourguignon et al.	D12/600	D648,264 S	11/2011	Le et al.	D12/588
D627,707 S	11/2010	Le et al.	D12/566	D653,199 S	1/2012	Scheuren et al.	D12/588
D627,710 S	11/2010	Rodicq et al.	D12/583	D654,015 S	2/2012	Rodicq et al.	D12/602
D627,713 S	11/2010	Le et al.	D12/600	D660,223 S	5/2012	Dixon et al.	D12/600
D628,955 S	12/2010	Toumni et al.	D12/588	D662,457 S	6/2012	Krier et al.	D12/588
D631,002 S	1/2011	Cazin-Bourguignon et al.	D12/602	D667,364 S	9/2012	Krier et al.	D12/586
D637,142 S	5/2011	Nicolas et al.	D12/579	D667,365 S	9/2012	Dixon et al.	D12/594
				D674,741 S	1/2013	Mathonet et al.	D12/588
				D674,742 S	1/2013	Krier et al.	D12/598
				D710,294 S *	8/2014	Dixon	D12/588
				D736,695 S *	8/2015	Dixon	D12/594

* cited by examiner



FIG - 1



FIG - 2



FIG - 3



FIG - 4