



US00D761194S

(12) **United States Design Patent**
Dixon et al.

(10) **Patent No.:** **US D761,194 S**
(45) **Date of Patent:** **** Jul. 12, 2016**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **Max Harold Dixon, Cuyahoga Falls, OH (US); Daniel Thomas Murphy, Mogadore, OH (US); Jeffrey Leon Severt, Akron, OH (US); James Earl Koerner, Uniontown, OH (US); Robert John Hermann, Cuyahoga Falls, OH (US)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **14 Years**

(21) Appl. No.: **29/497,206**

(22) Filed: **Jul. 22, 2014**

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/600**

(58) **Field of Classification Search**
USPC D12/550–568, 580–604, 900
CPC B60C 1/0016; B60C 11/0306; B60C 11/0302

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D383,102 S	9/1997	Harris et al.	D12/147
D385,520 S	10/1997	Scheuren et al.	D12/147
D410,420 S	6/1999	de Barys	D12/147
D586,730 S	2/2009	Scheuren et al.	D12/553
D592,589 S	5/2009	Dixon et al.	D12/600
D592,590 S	5/2009	Janesh et al.	D12/600
D597,478 S	8/2009	Scheuren et al.	D12/584
D597,479 S	8/2009	Scharis	D12/586
D598,369 S	8/2009	Beha	D12/602
D598,370 S	8/2009	Beha	D12/602
D599,281 S	9/2009	Scheuren	D12/553

D601,085 S	9/2009	Janesh et al.	D12/600
D601,086 S	9/2009	Maus et al.	D12/602
D601,488 S	10/2009	Maus et al.	D12/600
D605,109 S	12/2009	Dixon et al.	D12/600
D613,676 S	4/2010	Nicolas et al.	D12/567
D614,122 S	4/2010	Seibert	D12/600

(Continued)

OTHER PUBLICATIONS

Ling Long LLF02 Tire—Found online [Oct. 22, 2015] <http://tiresadict.com/vendor/linglong/llf02/>.*

Primary Examiner — Robert M Spear

Assistant Examiner — John Voytek

(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto;



FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines showing of the sidewall, inner bead, continuous line of rectangular elements running within each circumferential groove and the peripheral boundary between the tire tread and the sidewall depict environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D619,530 S	7/2010	Murphy et al.	D12/591	D642,511 S	8/2011	Strader et al.	D12/587
D626,501 S	11/2010	Cazin-Bourguignon et al.	D12/600	D645,810 S	9/2011	Le et al.	D12/600
D627,707 S	11/2010	Le et al.	D12/566	D647,040 S	10/2011	Mathonet et al.	D12/588
D627,710 S	11/2010	Rodicq et al.	D12/583	D653,199 S	1/2012	Scheuren et al.	D12/588
D627,713 S	11/2010	Le et al.	D12/600	D656,088 S	3/2012	Krier et al.	D12/591
D628,955 S	12/2010	Tourmni et al.	D12/588	D662,457 S	6/2012	Krier et al.	D12/588
D631,002 S	1/2011	Cazin-Bourguignon et al.	D12/602	D667,364 S	9/2012	Krier et al.	D12/586
D637,152 S	5/2011	Maus et al.	D12/602	D674,741 S	1/2013	Mathonet et al.	D12/588
D640,185 S	6/2011	Scheuren et al.	D12/588	D674,742 S	1/2013	Krier et al.	D12/598
D640,969 S	7/2011	Scheuren et al.	D12/588	D686,565 S	7/2013	Maus et al.	D12/588
D641,314 S	7/2011	Strader et al.	D12/602	D686,566 S	7/2013	Maus et al.	D12/594
				D686,973 S *	7/2013	Otani	D12/588
				D719,907 S *	12/2014	Ohara	D12/588
				D735,640 S *	8/2015	Vandaele	D12/553
				D735,651 S *	8/2015	Nomoto	D12/587
				D738,814 S *	9/2015	Otani	D12/588

* cited by examiner




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6