



US00D761468S

(12) **United States Design Patent**  
**Cheng**

(10) **Patent No.:** **US D761,468 S**

(45) **Date of Patent:** **\*\* Jul. 12, 2016**

(54) **COMBINATION EXTENDABLE BATON  
FLASHLIGHT STUN GUN**

(71) Applicant: **Cutting Edge Products, Inc.,**  
Winterville, NC (US)

(72) Inventor: **Liujian Cheng, Jiangsu Jingjiang (CN)**

(73) Assignee: **Cutting Edge Products Inc.,**  
Winterville, NC (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/485,075**

(22) Filed: **Mar. 14, 2014**

(51) **LOC (10) Cl.** ..... **26-02**

(52) **U.S. Cl.**  
USPC ..... **D26/38; D22/117**

(58) **Field of Classification Search**  
USPC ..... D26/37, 38, 40, 46, 49, 51; 362/158,  
362/157, 183, 184, 194-196, 200-208,  
362/253; D22/117-120; D28/88-89  
CPC ..... F21L 12/00; F21L 4/00; F21L 4/005;  
F21L 17/00; F21L 13/08; F21L 2003/00;  
F21L 2005/00; F21V 33/00; F21V 14/025;  
F21V 21/406; F21Y 2101/02  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D521,166 S \* 5/2006 Yamamoto et al. .... D26/37  
D548,861 S \* 8/2007 Chapman ..... D26/37  
D647,232 S \* 10/2011 Liu ..... D26/49  
D671,249 S 11/2012 Sheikh  
D674,943 S 1/2013 Sheikh  
D682,980 S 5/2013 Sheikh  
D690,383 S 9/2013 Sheikh  
D691,691 S 10/2013 Sheikh  
D691,692 S 10/2013 Sheikh

D695,873 S 12/2013 Sheikh  
D706,897 S \* 6/2014 Sheikh et al. .... D22/117  
D719,694 S \* 12/2014 Nawaz ..... D26/38  
D720,091 S \* 12/2014 Huang ..... D26/49  
D724,247 S \* 3/2015 Chouprinov et al. .... D26/38

\* cited by examiner

*Primary Examiner* — Ian Simmons

*Assistant Examiner* — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Williams Mullen PC;  
Richard T. Matthews

(57) **CLAIM**

The ornamental design for a combination extendable baton flashlight stun gun, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view illustrating a combination extendable baton flashlight stun gun in extended form, with two prongs of the stun gun illustrated on the flashlight end thereof;

FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof, with two operating switches illustrated in broken lines;

FIG. 4 is a side view thereof in extended form;

FIG. 5 is an opposing side view thereof in extended form;

FIG. 6 is a bottom view thereof in extended form;

FIG. 7 is a top view thereof in extended form;

FIG. 8 is a front perspective view illustrating a combination extendable baton flashlight stun gun in retracted form, with two prongs of the stun gun illustrated on the flashlight end thereof;

FIG. 9 is a side view thereof in retracted form;


FIG. 10 is an opposing side view thereof in retracted form;

FIG. 11 is a bottom view thereof in retracted form; and,

FIG. 12 is a top view thereof in retracted form.

The broken lines shown herein represent unclaimed portions of the design article and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12