



US00D761645S

(12) **United States Design Patent**
Kim et al.

(10) **Patent No.:** **US D761,645 S**
(45) **Date of Patent:** **** Jul. 19, 2016**

(54) **BRACKET FOR FIXING COMMUNICATION EQUIPMENT**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si, Gyeonggi-do (KR)

(72) Inventors: **Kyu-Cheol Kim**, Seoul (KR); **Gi-Chun Nam**, Suwon-si (KR); **Eun-Uae Lee**, Seoul (KR); **Joon-Taek Lee**, Yongin-si (KR); **Tai-Hyung Ju**, Seoul (KR); **Dong-Ju Choi**, Suwon-si (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.** (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/518,021**

(22) Filed: **Feb. 19, 2015**

(30) **Foreign Application Priority Data**

Aug. 22, 2014 (KR) 30-2014-0041041

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/396**; D8/354

(58) **Field of Classification Search**
USPC D8/349, 354–355, 358, 373, 380,
D8/382–383, 394, 396; D13/102, 118,
D13/149, 154, 155, 184, 199; D16/330,
D16/242; D25/119.123–125; D21/484, 500,
D21/504
CPC A47G 1/00; A47G 25/00; F16L 3/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D252,896 S * 9/1979 Jovin 24/410
D270,035 S * 8/1983 Pudwill D8/349
D296,546 S * 7/1988 Sachs D13/149
D332,939 S * 2/1993 McDonough, Jr. D13/149

D381,113 S * 7/1997 Safyan D13/149
D393,417 S * 4/1998 Glickman D8/382
D451,786 S * 12/2001 Wyatt D8/354
D484,033 S * 12/2003 Smith-Kielland 248/68.1
D522,351 S * 6/2006 Taylor D24/110
D559,657 S * 1/2008 Wohlford D8/354
D563,770 S * 3/2008 Payne, Jr. D8/354
D576,479 S * 9/2008 Alexander D8/384
D627,213 S * 11/2010 Hikoyama D8/380
D704,538 S * 5/2014 Fujiwara D8/382
8,813,421 B2 * 8/2014 Schaeffer 47/44
D724,996 S * 3/2015 Hung D11/221
D736,060 S * 8/2015 Shimizu D8/349
D738,713 S * 9/2015 Volin D8/394
D741,155 S * 10/2015 Ziaylek D8/373
2012/0040302 A1 * 2/2012 Rogers A61C 7/285
433/11

* cited by examiner

Primary Examiner — Rosemary K Tarcza
Assistant Examiner — Nathaniel D Buckner
(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**

The ornamental design for a bracket for fixing communication equipment, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bracket for fixing communication equipment, showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a side view thereof;
FIG. 5 is another side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is another perspective view thereof, as shown in an environment of use.
The broken lines are for environmental purpose only and form no part of the claimed design.
The jagged uneven broken lines indicate an omission boundary and form no part of the claimed design.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

