

US00D761970S

(12) **United States Design Patent**  
**Redwine**

(10) **Patent No.:** **US D761,970 S**  
(45) **Date of Patent:** **\*\* \*Jul. 19, 2016**

(54) **SOLID INDIVIDUAL COMPOSITE SHINGLE WITH A STEPPED BACK SURFACE**

D274,947 S 7/1984 Culpepper, Jr. et al.  
4,982,541 A \* 1/1991 Winter, IV ..... E04D 1/205  
52/302.1

(71) Applicant: **Dorce Thomas Redwine**, Cornelius, OR (US)

5,711,126 A 1/1998 Wells  
5,939,169 A 8/1999 Bondoc et al.  
6,428,876 B1 8/2002 Peterman  
6,530,189 B2 3/2003 Freshwater et al.  
6,936,329 B2 8/2005 Kiik et al.  
7,520,098 B1 4/2009 Martinique et al.  
7,563,478 B1 7/2009 Humphreys et al.  
8,136,322 B2 3/2012 Shadwell et al.  
D661,818 S \* 6/2012 Hamblin ..... D25/119

(72) Inventor: **Dorce Thomas Redwine**, Cornelius, OR (US)

(\* ) Notice: This patent is subject to a terminal disclaimer.

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner* — Doris Clark

(21) Appl. No.: **29/485,239**

(74) *Attorney, Agent, or Firm* — Law Office of Karen Dara Oster, LLC

(22) Filed: **Mar. 17, 2014**

**Related U.S. Application Data**

(62) Division of application No. 29/425,864, filed on Jun. 27, 2012, now Pat. No. Des. 704,353.

(51) **LOC (10) Cl.** ..... **25-01**

(52) **U.S. Cl.**  
USPC ..... **D25/119**

(58) **Field of Classification Search**  
USPC ..... D25/119, 139  
CPC ..... E04D 1/205; E04D 1/265  
See application file for complete search history.

(57) **CLAIM**

I claim the ornamental design for a solid individual composite shingle with a stepped back surface, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a solid individual composite shingle with a stepped back surface, the shingle being any width.

FIG. 2 is a back perspective view of the solid individual composite shingle of FIG. 1.

FIG. 3 is a front view of the solid individual composite shingle of FIG. 1.

FIG. 4 is a back view of the solid individual composite shingle of FIG. 1.

FIG. 5 is a top view of the solid individual composite shingle of FIG. 1.

FIG. 6 is a bottom view of the solid individual composite shingle of FIG. 1; and,

FIG. 7 is a side view of the solid individual composite shingle of FIG. 1, each of the side images of the solid individual composite shingle being identical thereto.


The broken line depictions of the wood grain on at least the front surface are included for environmental purposes and form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

173,957 A	2/1876	Inman	
1,510,535 A	10/1924	Abraham	
1,785,830 A	12/1930	Davis	
2,032,083 A	2/1936	Dudleston	
2,194,659 A	3/1940	Howle, Sr.	
2,486,326 A	10/1949	Ronzone	
2,569,831 A	10/1951	Herbert	
2,601,833 A	7/1952	Olsen	
2,624,298 A	1/1953	Roy	
2,735,143 A	2/1956	Kearns	
3,664,081 A *	5/1972	Martin et al. ....	E04B 7/20 52/521
4,301,633 A	11/1981	Neumann	

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3







FIG. 4



*FIG. 5*



*FIG. 6*



*FIG. 7*