US00D762166S

(12) United States Design Patent

Arends et al.

(10) Patent No.: US D762,166 S
(45) Date of Patent: ** Jul. 26, 2016

(54) **BATTERY CHARGER**

(71) Applicant: **Horizon Hobby, Inc.**, Champaign, IL (US)

(72) Inventors: **Gregory Arends**, Mahomet, IL (US); **Mark Reed**, Champaign, IL (US)

(73) Assignee: **Horizon Hobby, LLC**, Champaign, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/476,006**

(22) Filed: **Dec. 10, 2013**

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**
USPC D13/102–106, 110, 118–119, 184, 103, D13/104, 107–108; D14/96–100, 163, 176; 320/107–115; 429/96–100, 163, 176
CPC Y02E 60/12; Y02E 60/122; Y02E 60/124; Y02E 60/50; H01M 2/02; H01M 2/022; H01M 2/0202; H01M 2/0207; H01M 2/0212; H01M 2/1061; H01M 2/1022; H01M 2/1055; H01M 2/1066; H01M 2/105; H01M 2/204; H01M 10/4257; H01M 10/0436; H01M 10/48; H01M 10/44; H01M 10/46; H01M 10/465; H01M 10/482; H01M 2200/30; H01M 2250/30; H01M 2250/40; H02J 7/00; H02J 7/0003; H02J 7/0011; H02J 7/0013; H02J 7/0054; H02J 7/0055; H02J 7/0057; H02J 2007/0062
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D177,699 S * 5/1956 Schultz D10/103
D225,581 S * 12/1972 Danti D13/110
5,375,226 A * 12/1994 Sano G06F 1/1626 345/169
D367,052 S * 2/1996 Ito D14/162
D411,530 S * 6/1999 Carter D14/217
D427,145 S * 6/2000 Singh D13/107
D505,913 S * 6/2005 Kam Lun D13/107
D513,731 S * 1/2006 Kang D13/107

(Continued)

OTHER PUBLICATIONS

Prophet Sport Duo 50W, [online], [site visited Mar. 8, 2015]. Available from Internet, <URL: http://www.horizonhobby.com/prophet-sport-duo-50w-x-2-ac-battery-charger-us-dync2020a>.*

Primary Examiner — Rosemary K Tarcza
Assistant Examiner — Sanjeev Paul
(74) *Attorney, Agent, or Firm* — Barnes & Thornburg LLP

(57) **CLAIM**


The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a battery charger;
FIG. **2** is a front view thereof;
FIG. **3** is a rear view thereof;
FIG. **4** is a left side view thereof;
FIG. **5** is a right side view thereof;
FIG. **6** is a top view thereof;
FIG. **7** is a bottom view thereof;
FIG. **8** is a perspective view of a battery charger, according to an alternate embodiment;
FIG. **9** is a front view thereof;
FIG. **10** is a rear view thereof;
FIG. **11** is a left side view thereof;
FIG. **12** is a right side view thereof;
FIG. **13** is a top view thereof; and,
FIG. **14** is a bottom view thereof.

The broken lines showing portions of the battery charger in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 14 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D540,742	S	*	4/2007	Bell	D13/107
D548,695	S	*	8/2007	Krieger	D13/110
D554,579	S	*	11/2007	Ogasawara	D13/103
D555,591	S	*	11/2007	Grimes	D13/110
D562,231	S	*	2/2008	Osiecki	D13/107
D605,111	S	*	12/2009	Schoch	D13/107
D715,266	S	*	10/2014	Olswang	D14/217
D717,278	S	*	11/2014	Amiya	D14/217
D734,258	S	*	7/2015	Yin	D13/107
D744,944	S	*	12/2015	Bates	D13/107
D744,945	S	*	12/2015	Bates	D13/107
D750,598	S	*	3/2016	Alexander	D14/217

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14