



US00D762184S

(12) **United States Design Patent**
Kiridoshi et al.

(10) **Patent No.:** **US D762,184 S**
(45) **Date of Patent:** **** Jul. 26, 2016**

(54) **LIGHT EMITTING DIODE**

(71) Applicant: **MITSUBISHI ELECTRIC CORPORATION**, Tokyo (JP)

(72) Inventors: **Satoru Kiridoshi**, Tokyo (JP); **Toshiaki Hanamura**, Tokyo (JP); **Masato Teranishi**, Tokyo (JP); **Keisuke Nakaguchi**, Tokyo (JP); **Hironobu Kawaguchi**, Tokyo (JP)

(73) Assignee: **MITSUBISHI ELECTRIC CORPORATION**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/526,141**

(22) Filed: **May 6, 2015**

(30) **Foreign Application Priority Data**

Nov. 13, 2014 (JP) 2014-025334
Nov. 13, 2014 (JP) 2014-025335
Nov. 13, 2014 (JP) 2014-025336

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/180**

(58) **Field of Classification Search**
USPC D13/180; D26/1
CPC ... H01L 25/167; H01L 25/0753; H01L 27/15;
H01L 27/156; H01L 31/02; H01L 33/00;
H01L 33/04; H01L 33/08; H01L 33/10;
H01L 33/20; H01L 33/38; H01L 33/42;
H01L 33/48; H01L 33/62; H01L 33/483;
H01L 33/486; F21K 9/00; F21K 9/30; F21K
9/54

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,127,792 A * 11/1978 Nakata H01L 33/24
257/191

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Studebaker & Brackett PC



(57) **CLAIM**

The ornamental design for a light emitting diode, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the front, right, and top sides of a light emitting diode showing a first embodiment of our new design;
FIG. 2 is a front view thereof, a rear view being a mirror image thereof;
FIG. 3 is a left side view thereof; a right view being a mirror image thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a front perspective view of the front, right, and top sides of a light emitting diode showing a second embodiment of our new design;
FIG. 7 is a front view thereof, a rear view being a mirror image thereof;
FIG. 8 is a left side view thereof, a right view being a mirror image thereof;
FIG. 9 is a top plan view thereof; and
FIG. 10 is a bottom view thereof.
FIG. 11 is a front perspective view of the front, right, and top sides of a light emitting diode showing a third embodiment of our new design;
FIG. 12 is a front view thereof, a rear view being a mirror image thereof;
FIG. 13 is a left side view thereof, a right view being a mirror image thereof;
FIG. 14 is a top plan view thereof; and,
FIG. 15 is a bottom view thereof.
The broken lines shown represent unclaimed subject matter of the light emitting diode and form no part of the claimed design.

1 Claim, 15 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D432,095 S *	10/2000	Seeger	D13/182	D615,505 S *	5/2010	Butterworth	D13/180
6,174,070 B1 *	1/2001	Takamura	F21L 11/00 340/946	D615,934 S *	5/2010	Bolzan	D13/180
D439,351 S *	3/2001	Kiba	D26/37	D622,679 S *	8/2010	Hsieh	D13/180
6,486,543 B1 *	11/2002	Sano	H01L 21/565 257/684	D634,282 S *	3/2011	Wilson	D13/180
D477,580 S *	7/2003	Kamada	D13/182	D647,069 S *	10/2011	Takao	D13/180
D517,027 S *	3/2006	Suenaga	D13/180	8,101,955 B2 *	1/2012	Keh	H01L 33/486 257/433
D573,554 S *	7/2008	Kobayakawa	D13/180	D705,957 S *	5/2014	Lin	D13/180
D602,451 S *	10/2009	Gielen	D13/180	2002/0079837 A1 *	6/2002	Okazaki	H01L 33/54 313/512
					2004/0227149 A1 *	11/2004	Ibbetson	H01L 33/54 257/100

* cited by examiner

Fig. 1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15

