

US00D762215S

(12) **United States Design Patent**
Luttrell

(10) **Patent No.:** **US D762,215 S**
(45) **Date of Patent:** **** Jul. 26, 2016**

- (54) **INPUT DEVICE WITH A CURVED TOUCH-SENSOR**
- (71) Applicant: **Logitech Europe S.A.**, Lausanne (CH)
- (72) Inventor: **Darragh Luttrell**, Cork (IE)
- (73) Assignee: **Logitech Europe S.A.**, Lausanne (CH)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/462,073**
- (22) Filed: **Jul. 30, 2013**
- (51) **LOC (10) Cl.** **14-02**
- (52) **U.S. Cl.**
USPC **D14/388**
- (58) **Field of Classification Search**
USPC D14/314, 348, 356, 357, 358, 363,
D14/365-370, 388, 389, 407, 447, 451, 458,
D14/498, 500-505, 507, 510, 125, 141.1,
D14/142, 155, 203, 238.1, 239, 240, 242
CPC H04H 20/63; H04H 20/74; H04H 40/90;
H04N 21/6193; H04N 7/106; H04N 7/20;
H04R 3/005
See application file for complete search history.

- D626,099 S * 10/2010 Huang D14/125
- D626,554 S * 11/2010 Sogabe D14/356
- D628,573 S * 12/2010 Wang D14/356
- D638,426 S * 5/2011 Ikeda D14/240
- D641,365 S * 7/2011 Lee D14/368
- D645,466 S * 9/2011 Woo D14/365
- D647,093 S * 10/2011 Kim D14/407
- D647,896 S * 11/2011 Chen D14/314
- D648,689 S * 11/2011 Mehlsen D14/125
- D662,096 S * 6/2012 Yu D14/407
- D664,144 S * 7/2012 Akana D14/389
- D687,424 S * 8/2013 Petersen D14/240
- D704,176 S * 5/2014 Kwak D14/240
- D705,224 S * 5/2014 Govindasamy D14/356
- D715,228 S * 10/2014 Lee D13/158
- D715,801 S * 10/2014 Lee D14/407
- D722,066 S * 2/2015 Baker D14/451
- D722,983 S * 2/2015 Paredes D13/168
- D731,470 S * 6/2015 Terasawa D14/240
- D748,630 S * 2/2016 Helwig D14/389

* cited by examiner

Primary Examiner — Deanna L Pratt

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(57) **CLAIM**

The ornamental design for a input device with a curved touch-sensor, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of our input device with a curved touch-sensor showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a left side elevational view thereof;
 FIG. 7 is a right side elevational view thereof; and,
 FIG. 8 is a second perspective view thereof.
 The portions of the input device with a curved touch sensor shown in broken lines form no part of the claimed design.

1 Claim, 8 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

- 4,079,382 A * 3/1978 Henry H01Q 15/0033
343/753
- D375,948 S * 11/1996 Langlois D14/471
- 5,778,085 A * 7/1998 Sasaki H04M 1/20
379/202.01
- D414,187 S * 9/1999 Lange D14/231
- D446,209 S * 8/2001 Hickford D14/357
- D491,952 S * 6/2004 Oddsen D14/447
- D537,445 S * 2/2007 Bousfield D14/383
- D539,274 S * 3/2007 Bourne D14/240
- D573,661 S * 7/2008 Golad D21/386
- D597,543 S * 8/2009 Urban D14/356
- D598,459 S * 8/2009 Gillespie D14/451
- D618,232 S * 6/2010 O'Neil D14/314






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8