



US00D762215S

(12) **United States Design Patent**  
**Luttrell**

(10) **Patent No.:** **US D762,215 S**  
(45) **Date of Patent:** **\*\* Jul. 26, 2016**

- (54) **INPUT DEVICE WITH A CURVED TOUCH-SENSOR**
- (71) Applicant: **Logitech Europe S.A.**, Lausanne (CH)
- (72) Inventor: **Darragh Luttrell**, Cork (IE)
- (73) Assignee: **Logitech Europe S.A.**, Lausanne (CH)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/462,073**
- (22) Filed: **Jul. 30, 2013**
- (51) **LOC (10) Cl.** ..... **14-02**
- (52) **U.S. Cl.**  
USPC ..... **D14/388**
- (58) **Field of Classification Search**  
USPC ..... D14/314, 348, 356, 357, 358, 363,  
D14/365-370, 388, 389, 407, 447, 451, 458,  
D14/498, 500-505, 507, 510, 125, 141.1,  
D14/142, 155, 203, 238.1, 239, 240, 242  
CPC ..... H04H 20/63; H04H 20/74; H04H 40/90;  
H04N 21/6193; H04N 7/106; H04N 7/20;  
H04R 3/005  
See application file for complete search history.

- D626,099 S \* 10/2010 Huang ..... D14/125
- D626,554 S \* 11/2010 Sogabe ..... D14/356
- D628,573 S \* 12/2010 Wang ..... D14/356
- D638,426 S \* 5/2011 Ikeda ..... D14/240
- D641,365 S \* 7/2011 Lee ..... D14/368
- D645,466 S \* 9/2011 Woo ..... D14/365
- D647,093 S \* 10/2011 Kim ..... D14/407
- D647,896 S \* 11/2011 Chen ..... D14/314
- D648,689 S \* 11/2011 Mehlsen ..... D14/125
- D662,096 S \* 6/2012 Yu ..... D14/407
- D664,144 S \* 7/2012 Akana ..... D14/389
- D687,424 S \* 8/2013 Petersen ..... D14/240
- D704,176 S \* 5/2014 Kwak ..... D14/240
- D705,224 S \* 5/2014 Govindasamy ..... D14/356
- D715,228 S \* 10/2014 Lee ..... D13/158
- D715,801 S \* 10/2014 Lee ..... D14/407
- D722,066 S \* 2/2015 Baker ..... D14/451
- D722,983 S \* 2/2015 Paredes ..... D13/168
- D731,470 S \* 6/2015 Terasawa ..... D14/240
- D748,630 S \* 2/2016 Helwig ..... D14/389

\* cited by examiner

*Primary Examiner* — Deanna L Pratt

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(57) **CLAIM**

The ornamental design for a input device with a curved touch-sensor, as shown and described.


**DESCRIPTION**


FIG. 1 is a perspective view of our input device with a curved touch-sensor showing our new design;  
 FIG. 2 is a top plan view thereof;  
 FIG. 3 is a bottom plan view thereof;  
 FIG. 4 is a front elevational view thereof;  
 FIG. 5 is a rear elevational view thereof;  
 FIG. 6 is a left side elevational view thereof;  
 FIG. 7 is a right side elevational view thereof; and,  
 FIG. 8 is a second perspective view thereof.  
 The portions of the input device with a curved touch sensor shown in broken lines form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS

- 4,079,382 A \* 3/1978 Henry ..... H01Q 15/0033  
343/753
- D375,948 S \* 11/1996 Langlois ..... D14/471
- 5,778,085 A \* 7/1998 Sasaki ..... H04M 1/20  
379/202.01
- D414,187 S \* 9/1999 Lange ..... D14/231
- D446,209 S \* 8/2001 Hickford ..... D14/357
- D491,952 S \* 6/2004 Oddsen ..... D14/447
- D537,445 S \* 2/2007 Bousfield ..... D14/383
- D539,274 S \* 3/2007 Bourne ..... D14/240
- D573,661 S \* 7/2008 Golad ..... D21/386
- D597,543 S \* 8/2009 Urban ..... D14/356
- D598,459 S \* 8/2009 Gillespie ..... D14/451
- D618,232 S \* 6/2010 O'Neil ..... D14/314





**FIG. 1**




FIG. 2




FIG. 3





FIG. 4



*FIG. 5*




FIG. 6




FIG. 7






FIG. 8