

US00D762299S

(12) **United States Design Patent**  
**Matsuura**

(10) **Patent No.:** **US D762,299 S**  
(45) **Date of Patent:** **\*\* Jul. 26, 2016**

(54) **SPERM SAMPLER**

(71) Applicant: **TENGA CO., LTD.**, Nakano-ku, Tokyo (JP)

(72) Inventor: **Tsutomu Matsuura**, Tokyo (JP)

(73) Assignee: **TENGA CO., LTD.**, Nakano-ku (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/504,962**

(22) Filed: **Oct. 10, 2014**

(30) **Foreign Application Priority Data**

Apr. 11, 2014 (JP) ..... 2014-007980

(51) **LOC (10) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/121**

(58) **Field of Classification Search**

USPC ..... D24/121-123, 107, 108, 224, 216, 215,  
D24/130, 144, 111; D9/716, 524, 435, 441,  
D9/447, 730, 733, 781; D7/509-511, 309,  
D7/305, 900, 538, 539, 321, 589; 604/317;  
600/38, 573, 579; 222/136, 129  
CPC ..... B29C 45/2602; A61H 19/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D383,972 S \* 9/1997 Weiss ..... D9/521  
5,669,084 A \* 9/1997 Sakimura ..... A47K 11/04  
4/460  
D468,423 S \* 1/2003 Renfrew ..... D24/115  
D485,764 S \* 1/2004 Bakic ..... D9/521  
D488,382 S \* 4/2004 Calello ..... D9/521  
D526,063 S \* 8/2006 Widener ..... D24/186

D592,961 S \* 5/2009 Short ..... D9/529  
D610,261 S \* 2/2010 Strother ..... D24/186  
D644,516 S \* 9/2011 Howell ..... D9/435  
D724,723 S \* 3/2015 Levy ..... D24/122  
D733,888 S \* 7/2015 Tuhkanen ..... D24/167  
D744,110 S \* 11/2015 Kubo ..... D24/186  
D745,661 S \* 12/2015 Collins ..... D24/108

**OTHER PUBLICATIONS**

Tenga company website, Click Ball product, Jan. 20, 2016, [https://www.tenga-global.com/products/pocket/pocket\\_002\\_clickball/](https://www.tenga-global.com/products/pocket/pocket_002_clickball/).\*

\* cited by examiner

*Primary Examiner* — David Muller

*Assistant Examiner* — Nathan Johnston

(74) *Attorney, Agent, or Firm* — Masuvalley & Partners

(57) **CLAIM**

The ornamental design for a sperm sampler, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of the sperm sampler according to the invention;  
FIG. 2 is a rear elevation view thereof;  
FIG. 3 is a left side elevation view thereof;  
FIG. 4 is a right side elevation view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a cross-sectional view of the sperm sampler through line 7-7 shown in FIG. 1;  
FIG. 8 is a cross-sectional view of the sperm sampler through line 8-8 shown in FIG. 4;  
FIG. 9 is a cross-sectional view of the sperm sampler through line 9-9 shown in FIG. 2;  
FIG. 10 is a perspective view thereof; and,  
FIG. 11 is another perspective view thereof.

**1 Claim, 9 Drawing Sheets**




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6



FIG.7




FIG.8






FIG.9






FIG. 10




FIG.11

