



US00D762302S

(12) **United States Design Patent**
Dunn

(10) **Patent No.:** **US D762,302 S**
(45) **Date of Patent:** **** Jul. 26, 2016**

- (54) **SURGICAL FORCEPS**
- (71) Applicant: **Raymond Dunn**, Shrewsbury, MA (US)
- (72) Inventor: **Raymond Dunn**, Shrewsbury, MA (US)
- (73) Assignee: **University of Massachusetts**, Boston, MA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/488,962**
- (22) Filed: **Apr. 24, 2014**
- (51) **LOC (10) Cl.** **24-02**
- (52) **U.S. Cl.**
USPC **D24/143; D24/133**
- (58) **Field of Classification Search**
USPC D24/143; D28/55; 606/205–207,
606/210–211, 148, 174
CPC A61B 17/29; A61B 17/30; A61B 18/085;
A61B 17/2909; A61B 17/28; A61B 17/06166;
A61B 17/0493
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,634,165	A	1/1987	Russell et al.	
4,753,235	A	6/1988	Hasson	
4,938,214	A	7/1990	Specht et al.	
4,955,887	A *	9/1990	Zirm	A61B 17/29 606/107
5,290,302	A	3/1994	Pericic	
D355,455	S *	2/1995	Stolte	D24/143
5,501,698	A *	3/1996	Roth	A61B 17/2909 606/174
5,634,918	A	6/1997	Richards	
6,364,891	B1 *	4/2002	Doble	A61B 17/1608 606/207
6,855,156	B2	2/2005	Etter et al.	
D504,176	S *	4/2005	Vijfvinkel	D24/143
7,208,004	B2 *	4/2007	Murdoch	A61B 17/0493 606/205
8,585,735	B2	11/2013	Nallakrishnan	

8,657,851	B2 *	2/2014	Aufaure	A61B 17/30 433/4
8,974,480	B2 *	3/2015	Terao	A61B 17/3211 606/170
2002/0016591	A1	2/2002	Levine et al.	
2009/0030448	A1	1/2009	Andre	

(Continued)

Primary Examiner — Wan Laymon

(74) *Attorney, Agent, or Firm* — McCarter & English, LLP



(57) **CLAIM**

The ornamental design for a surgical forceps, as shown and described.

DESCRIPTION

FIG. 1 is a side view of a surgical forceps of a first embodiment of the present invention;
 FIG. 2 is a top view thereof, wherein the bottom view is the same as the top view;
 FIG. 3 is a front perspective view thereof;
 FIG. 4 is a side view thereof, shown in an open position;
 FIG. 5 is a side view thereof, shown in a closed position;
 FIG. 6 is a top view of a second embodiment of a surgical forceps of the present invention, shown in an open position;
 FIG. 7 is a side view thereof, shown in a closed position;
 FIG. 8 is a top view thereof, wherein the bottom view is the same as the top view;
 FIG. 9 is a rear perspective view thereof;
 FIG. 10 is a top view of an upper portion of a third embodiment of a surgical forceps of the present invention;
 FIG. 11 is a partial side view of the upper portion of a surgical forceps thereof;
 FIG. 12 is a side view of the upper portion and a lower portion of the surgical forceps of the third embodiment of the present invention, shown in an open position;
 FIG. 13 is a side view thereof, shown in a closed position; and,
 FIG. 14 is a top view thereof.
 The broken line in the drawings is included for the purpose of illustrating environmental structures and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0011541 A1 1/2010 Tillim
2012/0041457 A1 2/2012 De Vries et al.
2012/0116370 A1 5/2012 Tschida
2013/0085326 A1 4/2013 Scheller et al.

2014/0052116 A1 2/2014 Herzon
2014/0088639 A1 3/2014 Bartels et al.
2014/0121697 A1* 5/2014 Scheller A61B 17/30
606/207
2014/0142603 A1 5/2014 Scheller et al.
2015/0305762 A1* 10/2015 Dunn A61B 17/2812
606/205

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14