



US00D762330S

(12) **United States Design Patent**
Floyd, Jr. et al.

(10) **Patent No.:** **US D762,330 S**
(45) **Date of Patent:** **** Jul. 26, 2016**

(54) **PROTECTIVE LINER FOR A BALL CAP**

4,698,852 A * 10/1987 Romero A42B 3/00
2/171

(71) Applicant: **BCL INC**, King City (CA)

4,742,581 A * 5/1988 Rosenthal A41D 20/005
2/170

(72) Inventors: **Cornelius C. Floyd, Jr.**, Davie, FL (US);
Robert G. Dickie, King City (CA)

4,982,451 A 1/1991 Graham
5,025,504 A 6/1991 Benston et al.
5,142,705 A * 9/1992 Edwards A42B 3/145
2/183

(73) Assignee: **BCL INC**, King City, Ontario (CA)

(Continued)

(**) Term: **14 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/512,990**

“Ball Cap Liner (BCL) vs Isoblox” article posted on-line on Aug. 17, 2015. Retrieved from the Internet on Nov. 24, 2015. URL: <http://www.sparkinnovations.com/ball-cap-liner-vs-isoblox/>. (3 pages).*

(22) Filed: **Dec. 24, 2014**

(Continued)

Related U.S. Application Data

(63) Continuation-in-part of application No. 13/942,179, filed on Jul. 15, 2013.

Primary Examiner — Karen E. Eldridge Powers

Assistant Examiner — Jasmine Mlinarcik

(51) **LOC (10) Cl.** **02-03**

(74) *Attorney, Agent, or Firm* — Sand & Sebolt

(52) **U.S. Cl.**

USPC **D29/102**; D2/894

(58) **Field of Classification Search**

USPC D2/500, 865, 866, 868, 869, 871, 874,
D2/875, 877, 881, 891, 894; D24/128,
D24/190; D28/41; D29/102, 104, 108

CPC A41D 20/00; A41D 20/005; A41D 23/00;
A42B 1/00; A42B 1/22; A42B 3/00; A42B
3/04; A42B 3/046; A42B 3/06; A42B 3/10;
A42B 3/12; A42C 5/02

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a protective liner for a ball cap, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a protective liner for a ball cap in accordance with our design;

FIG. 2 is a second perspective view thereof;

FIG. 3 is right side elevation view of the protective liner for a ball cap; the unshown left side elevation view being a mirror image thereof;

FIG. 4 is a bottom plan view of the protective liner for a ball cap;

FIG. 5 is a top plan view thereof;

FIG. 6 is a front elevation view thereof; and,

FIG. 7 is a rear elevation view thereof.


The broken lines in the drawings show the environment in which the design is used. The broken lines form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,333,987 A 11/1943 Dandy
2,339,189 A * 1/1944 Pickles A42B 3/003
2/6.6
2,768,380 A 10/1956 Golomb
2,861,270 A 11/1958 McCoy
D192,070 S * 1/1962 Well D2/875
3,268,911 A 8/1966 Cox
4,660,230 A 4/1987 Mayling
4,675,919 A 6/1987 Heine et al.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,226,180 A 7/1993 Leach
 D351,052 S * 10/1994 Russell D2/894
 5,437,064 A 8/1995 Hamaguchi
 D365,918 S * 1/1996 Izebu D2/875
 D366,732 S * 1/1996 Gregg D29/108
 D370,309 S * 5/1996 Stucky D29/102
 D385,661 S * 10/1997 Moorhouse D29/104
 5,946,734 A * 9/1999 Vogan A42B 3/00
 2/171
 6,154,889 A 12/2000 Moore, III et al.
 6,397,399 B1 6/2002 Lampe et al.
 6,625,820 B1 9/2003 Lampe
 7,096,512 B2 8/2006 Blair
 D610,780 S * 3/2010 Dolby D2/877
 D636,153 S * 4/2011 Schrab D2/881
 7,930,771 B2 4/2011 Depreitere et al.
 8,813,265 B2 * 8/2014 Schwantes A41D 20/00
 2/209.13
 8,856,972 B2 10/2014 Kirshon

D736,394 S * 8/2015 Owoc D2/894
 D737,002 S * 8/2015 Olson D29/108
 D741,007 S * 10/2015 McNama D28/41
 2004/0168246 A1 9/2004 Phillips
 2005/0086727 A1 4/2005 Shen
 2008/0155735 A1 7/2008 Ferrara
 2010/0186151 A1 7/2010 O'Leary
 2011/0214213 A1 * 9/2011 Foreman A42B 1/00
 2/7
 2012/0131731 A1 5/2012 Motroni
 2013/0219593 A1 8/2013 Snyder
 2014/0259286 A1 * 9/2014 Boyle A41D 20/00
 2/181
 2015/0237944 A1 * 8/2015 Floyd, Jr. A42B 1/08
 2/414

OTHER PUBLICATIONS

“Ball Cap Liner (BCL) vs Isoblox” article posted online on Aug. 17, 2015. Retrieved from the Internet on Nov. 24, 2015. URL:<http://www.sparkinnovations.com/ball-cap-liner-vs-isoblox/>, 3 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7