

US00D762501S

(12) **United States Design Patent**  
**Hays**

(10) **Patent No.:** **US D762,501 S**

(45) **Date of Patent:** **\*\* Aug. 2, 2016**

(54) **PRESENCE SENSOR DEVICE**

(71) Applicant: **Hogman-Outdoors, LLC**, Cypress, TX (US)

(72) Inventor: **DeWayne L. Hays**, Cypress, TX (US)

(73) Assignee: **Hogman-Outdoors, LLC**, Cypress, TX (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/524,440**

(22) Filed: **Apr. 20, 2015**

(51) **LOC (10) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/70**; D10/65; D10/106.7; D16/203

(58) **Field of Classification Search**  
USPC ..... D10/65, 70, 106.7; D16/201, 203, 208, D16/209  
CPC ..... G08B 13/19678; G08B 13/1968; G08B 13/19682; G08B 13/19684; G08B 13/19686; G08B 13/19689; G08B 13/19691; G08B 13/19695  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 5,111,288 A \* 5/1992 Blackshear ..... G08B 13/19619 348/143
- 6,831,699 B2 \* 12/2004 Chang ..... G08B 13/19619 348/151
- D552,649 S \* 10/2007 Logan ..... D16/200

- D554,602 S \* 11/2007 Hakoda ..... D14/506
- D690,344 S \* 9/2013 Hollinger ..... D16/200
- D723,604 S \* 3/2015 Mohan ..... D16/203
- D724,967 S \* 3/2015 Miller ..... D10/65
- D731,579 S \* 6/2015 Bart ..... D16/203
- D743,280 S \* 11/2015 Miller ..... D10/65
- D745,910 S \* 12/2015 Hollinger ..... D16/203
- 9,204,622 B2 \* 12/2015 Wong ..... A01K 15/023
- D749,661 S \* 2/2016 Yang ..... D16/203

\* cited by examiner

*Primary Examiner* — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Vinson & Elkins LLP



(57) **CLAIM**


The ornamental design for a presence sensor device, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of my presence sensor design.  
 FIG. 2 is a perspective view of my presence sensor design.  
 FIG. 3 is a perspective view of my presence sensor design.  
 FIG. 4 perspective view of my presence sensor design.  
 FIG. 5 is a left side view of my presence sensor design. The right side of my sensor is a mirror image of the left side and is not included.  
 FIG. 6 is a rear view of my presence sensor design.  
 FIG. 7 is a front view of my presence sensor design.  
 FIG. 8 is a top view of my presence sensor design; and,  
 FIG. 9 is a bottom view of my presence sensor design.  
 Broken lines in the figures indicate boundaries that form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**




**FIG. 6**



**FIG. 7**



**FIG. 8**



**FIG. 9**