

US00D762757S

(12) **United States Design Patent**
Langone et al.

(10) **Patent No.:** **US D762,757 S**
(45) **Date of Patent:** **** *Aug. 2, 2016**

- (54) **SHEAR PIN**
- (71) Applicant: **ADC Acquisition Company**,
Schenectady, NY (US)
- (72) Inventors: **Robert J. Langone**, Clifton Park, NY
(US); **Kurt J. Kimball**, Barrington, NH
(US); **Robert D. Becker, II**, Amsterdam,
NY (US)
- (73) Assignee: **ADC Acquisition Company**,
Schenectady, NY (US)
- (*) Notice: This patent is subject to a terminal dis-
claimer.
- (**) Term: **14 Years**

2,260,769	A *	10/1941	Bonham	200/52 R
2,384,188	A *	9/1945	Mercier	464/33
2,388,186	A *	10/1945	Rowsey	464/33
2,438,676	A *	3/1948	Nickle et al.	464/33
2,566,690	A *	9/1951	Wright	464/32
2,585,113	A *	2/1952	Gredell	464/32
2,665,570	A *	1/1954	Ream	464/33
2,698,528	A *	1/1955	Boesch, Jr.	464/32
2,831,948	A *	4/1958	Fraser	200/295
2,838,920	A *	6/1958	Hill, Jr. et al.	464/33
3,000,577	A *	9/1961	Ferguson	241/32
3,031,218	A *	4/1962	Ellis	403/164
3,049,177	A *	8/1962	Bonner	166/119
3,236,106	A *	2/1966	Krupp et al.	74/2
D205,312	S *	7/1966	Musgrave	D15/149
3,411,597	A *	11/1968	Kinley et al.	175/294
3,430,460	A *	3/1969	Hankinson	464/33

(Continued)

- (21) Appl. No.: **29/480,578**
- (22) Filed: **Jan. 28, 2014**

Related U.S. Application Data

- (63) Continuation-in-part of application No. 11/159,627,
filed on Jun. 23, 2005, now abandoned.
- (60) Provisional application No. 60/583,208, filed on Jun.
28, 2004.
- (51) **LOC (10) Cl.** **15-09**
- (52) **U.S. Cl.**
USPC **D15/148; D15/138**
- (58) **Field of Classification Search**
USPC **D8/387; D15/138, 148, 149**
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

1,751,780	A *	3/1930	Weiger	420/430
1,778,477	A *	10/1930	Wise	464/33
2,144,269	A *	1/1939	Peltz	464/32

OTHER PUBLICATIONS

Palasik, U.S. Appl. No. 29/480,579, Notice of Allowance dated Mar.
21, 2016, 7 pages.

Primary Examiner — Patricia Palasik

(74) *Attorney, Agent, or Firm* — Maxine L. Barasch;
Keohane & D'Alessandro, PLLC


(57) **CLAIM**

The ornamental design for a shear pin, as shown and
described.

DESCRIPTION

FIG. 1 is an isometric view of the shear pin;
 FIG. 2 is a side view of the shear pin, views at any number of
 degrees of rotation therefrom about an axial centerline of the
 pin being identical;
 FIG. 3 is an end view of the shear pin; and,
 FIG. 4 is another end view opposite the view of FIG. 3 of the
 shear pin.
 As shown in the figures, the embodiment has an undeter-
 mined length between the ends thereof.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,184,408	A *	1/1980	Smith et al.	89/1.806	5,567,096	A *	10/1996	Howard	410/42
4,265,981	A	5/1981	Campbell		5,618,123	A	4/1997	Pulse	
4,576,847	A	3/1986	Tajima		6,287,079	B1 *	9/2001	Gosling et al.	416/220 R
4,623,290	A	11/1986	Kikuzawa et al.		6,481,496	B1	11/2002	Jackson et al.	
4,717,302	A	1/1988	Adams et al.		6,491,108	B1	12/2002	Slup et al.	
4,863,330	A	9/1989	Olez et al.		6,905,114	B2 *	6/2005	Ford	267/125
4,909,690	A	3/1990	Gapp et al.		7,144,252	B2 *	12/2006	Walton	433/141
4,928,762	A	5/1990	Mamke		7,211,319	B2	5/2007	Hiel et al	
5,080,547	A	1/1992	Moghe		D582,481	S	12/2008	Vaughn	
5,098,240	A	3/1992	Gapp et al.		D661,164	S	6/2012	Licamele	
					8,434,984	B2 *	5/2013	Toosky	411/361
					D714,132	S *	9/2014	Hazantonis	D8/382

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4