



US00D762814S

(12) **United States Design Patent**
Sawchuk et al.

(10) **Patent No.:** **US D762,814 S**
(45) **Date of Patent:** **** Aug. 2, 2016**

- (54) **FLOW CONDITIONER**
- (71) Applicant: **Canada Pipeline Accessories, Co. Ltd.,**
Calgary (CA)
- (72) Inventors: **Daniel Sawchuk, Chestermere (CA);**
Reginald Selirio, Calgary (CA)
- (73) Assignee: **Canada Pipeline Accessories, Co., Ltd.,**
Calgary, Alberta (CA)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/507,288**
- (22) Filed: **Oct. 26, 2014**

6,029,912	A *	2/2000	Woolley	B05B 1/26 239/428.5
6,807,986	B2	10/2004	Boger	
7,073,534	B2	7/2006	Sawchuk et al.	
7,089,963	B2	8/2006	Meheen	
D577,100	S	9/2008	Brown et al.	
D577,101	S	9/2008	Kong et al.	
7,464,611	B2	12/2008	Matter et al.	
7,845,688	B2	12/2010	Gallagher et al.	
8,132,961	B1	3/2012	England et al.	
D674,878	S	1/2013	Jones et al.	
D682,987	S	5/2013	Blum	
D697,581	S	1/2014	Sawchuk et al.	
D701,939	S	4/2014	Sawchuk et al.	
D713,492	S	9/2014	Sawchuk et al.	
2004/0055816	A1	3/2004	Gallagher et al.	
2005/0178455	A1	8/2005	Cancade et al.	
2008/0246277	A1	10/2008	Gallagher et al.	
2011/0174407	A1	7/2011	Lundberg et al.	
2011/0174408	A1	7/2011	Lundberg et al.	
2012/0247223	A1	10/2012	Sawchuk et al.	
2014/0196535	A1	7/2014	Sawchuk et al.	

Related U.S. Application Data

- (62) Division of application No. 29/452,049, filed on Apr. 11, 2013, now Pat. No. Des. 721,417.
- (51) **LOC (10) Cl.** **23-01**
- (52) **U.S. Cl.**
USPC **D23/213; D23/249**
- (58) **Field of Classification Search**
USPC D23/213, 249; 239/428.5, 437;
261/DIG. 22; 138/39
CPC E03C 1/084
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

CA	2171828	3/1995
CA	2228928	8/1995

(Continued)

Primary Examiner — Robin V Webster

(74) *Attorney, Agent, or Firm* — Cahn & Samuels, LLP

(57) **CLAIM**

The ornamental design for a flow conditioner, as shown and described.



DESCRIPTION

FIG. 1 is a rear perspective view of a flow conditioner showing our new design;
FIG. 2 is a front perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof; and,
FIG. 5 is a side view thereof.

1 Claim, 2 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

D198,356	S	6/1964	Wahlin et al.
D200,088	S	1/1965	Earnshaw
3,232,550	A	2/1966	Cuva
5,341,848	A	8/1994	Laws
5,400,828	A	3/1995	Ziu et al.
5,495,872	A	3/1996	Gallagher et al.
5,606,297	A	2/1997	Phillips
5,762,107	A	6/1998	Laws
5,959,216	A	9/1999	Hocquet et al.



US D762,814 S

Page 2

(56)

References Cited

FOREIGN PATENT DOCUMENTS

CA

2787659

7/2011

GB

1469648 A

4/1977

WO

2014040191 A1

3/2014

WO

2014110673 A1

7/2014

WO

2014186883 A1

11/2014

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5