



US00D762901S

(12) **United States Design Patent** (10) **Patent No.:** **US D762,901 S**
Boissevain et al. (45) **Date of Patent:** **** Aug. 2, 2016**

(54) **LUMINAIRE**

(56) **References Cited**

(71) Applicant: **PHILIPS LIGHTING HOLDING
B.V., Eindhoven (NL)**

U.S. PATENT DOCUMENTS

(72) Inventors: **Christopher James Boissevain,**
Eindhoven (NL); **Mason James Morton,**
Eindhoven (NL)

D296,829	S	*	7/1988	Peppers		D26/63
D567,980	S	*	4/2008	Guercio		D26/63
D744,141	S	*	11/2015	Bobel		D26/63
D744,684	S	*	12/2015	Guercio		D26/63
D749,767	S	*	2/2016	Jin		D26/63

* cited by examiner

(73) Assignee: **Philips Lighting Holding B.V.,**
Eindhoven (NL)

Primary Examiner — Brian N Vinson

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a luminaire, as shown and described.

(21) Appl. No.: **29/492,245**

DESCRIPTION

(22) Filed: **May 29, 2014**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/63**

(58) **Field of Classification Search**

USPC D26/1, 24, 61, 63, 65, 85, 92
CPC F21V 21/14; F21V 15/01; F21V 14/02;
F21V 21/30; F21V 21/00; F21V 14/00;
F21S 8/00; F21S 8/003; F21S 8/043; F21Y
2105/001

See application file for complete search history.

FIG. 1 is a perspective view of a luminaire shown our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side elevational view thereof;


FIG. 5 is a left side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The dash-dot-dash broken lines shown represent the bounds of the claim and forms no part thereof and the dashed broken lines shown therein illustrate portions of the luminaire that form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7