

US00D762972S

(12) **United States Design Patent**
Bradfield

(10) **Patent No.:** **US D762,972 S**

(45) **Date of Patent:** **** Aug. 9, 2016**

(54) **CARRYING CASE WITH MAGNETIC SECURING FLAP**

(74) *Attorney, Agent, or Firm* — Grady K. Bergen; Griggs Bergen LLP

(71) Applicant: **Julie Bradfield**, Charleston, SC (US)

(72) Inventor: **Julie Bradfield**, Charleston, SC (US)

(57) **CLAIM**

The ornamental design for a carrying case with a magnetic securing flap, as shown and described.

(**) Term: **14 Years**

(21) Appl. No.: **29/507,350**

(22) Filed: **Oct. 27, 2014**

DESCRIPTION

Related U.S. Application Data

(63) Continuation of application No. 29/434,009, filed on Oct. 9, 2012, now Pat. No. Des. 716,048.

(51) **LOC (10) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/232**

(58) **Field of Classification Search**
USPC D3/232–233, 240–243 M, 245–246, 318
CPC A45C 1/024; A45C 3/06
See application file for complete search history.

FIG. 1 is a front perspective view of a carrying case with magnetic securing flap, shown with a front closure flap and a rear securing flap in extended open positions;

FIG. 2 is a front elevational view of the carrying case with magnetic securing flap of FIG. 1, shown with the front closure flap in a folded closed position;

FIG. 3 is a rear elevational view of the carrying case with magnetic securing flap of FIG. 1, shown with the rear securing flap in a folded closed position;

FIG. 4 is a right side elevational of the carrying case with magnetic securing flap of FIG. 1, shown with the front closure flap and the rear securing flap in folded closed positions;

FIG. 5 is a left side elevational of the carrying case with magnetic securing flap of FIG. 1, shown with the front closure flap and the rear securing flap in folded closed positions;

FIG. 6 is a rear elevational view of the carrying case with magnetic securing flap of FIG. 1, shown with the rear securing flap in an extended open position; and,

FIG. 7 is a rear elevational view of the carrying case with magnetic securing flap of FIG. 1, shown with the rear securing flap in an extended open position.

The broken lines shown in FIGS. 1-7 are included for the purpose of illustrating portions of the carrying case with magnetic securing flap that form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D419,292 S *	1/2000	Barre	D3/232
D727,617 S *	4/2015	Chehebar	D3/233
2009/0208148 A1	8/2009	Doyle		
2011/0280499 A1	11/2011	Brundage		


OTHER PUBLICATIONS

Photos of Amphipod device.
Photos of Roo Sport device.
Photos of Pocket Plus device.

* cited by examiner

Primary Examiner — Holly Baynham

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7