



US00D762972S

(12) **United States Design Patent**  
**Bradfield**

(10) **Patent No.:** **US D762,972 S**

(45) **Date of Patent:** **\*\* Aug. 9, 2016**

(54) **CARRYING CASE WITH MAGNETIC  
SECURING FLAP**

(74) *Attorney, Agent, or Firm* — Grady K. Bergen; Griggs  
Bergen LLP

(71) Applicant: **Julie Bradfield**, Charleston, SC (US)

(72) Inventor: **Julie Bradfield**, Charleston, SC (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/507,350**

(22) Filed: **Oct. 27, 2014**

(57) **CLAIM**

The ornamental design for a carrying case with a magnetic  
securing flap, as shown and described.

**DESCRIPTION**

**Related U.S. Application Data**

(63) Continuation of application No. 29/434,009, filed on  
Oct. 9, 2012, now Pat. No. Des. 716,048.

(51) **LOC (10) Cl.** ..... **03-01**

(52) **U.S. Cl.**  
USPC ..... **D3/232**

(58) **Field of Classification Search**  
USPC ..... D3/232–233, 240–243 M, 245–246, 318  
CPC ..... A45C 1/024; A45C 3/06  
See application file for complete search history.

FIG. 1 is a front perspective view of a carrying case with  
magnetic securing flap, shown with a front closure flap and a  
rear securing flap in extended open positions;

FIG. 2 is a front elevational view of the carrying case with  
magnetic securing flap of FIG. 1, shown with the front closure  
flap in a folded closed position;

FIG. 3 is a rear elevational view of the carrying case with  
magnetic securing flap of FIG. 1, shown with the rear secur-  
ing flap in a folded closed position;

FIG. 4 is a right side elevational of the carrying case with  
magnetic securing flap of FIG. 1, shown with the front closure  
flap and the rear securing flap in folded closed positions;

FIG. 5 is a left side elevational of the carrying case with  
magnetic securing flap of FIG. 1, shown with the front closure  
flap and the rear securing flap in folded closed positions;

FIG. 6 is a rear elevational view of the carrying case with  
magnetic securing flap of FIG. 1, shown with the rear secur-  
ing flap in an extended open position; and,

FIG. 7 is a rear elevational view of the carrying case with  
magnetic securing flap of FIG. 1, shown with the rear secur-  
ing flap in an extended open position.

The broken lines shown in FIGS. 1-7 are included for the  
purpose of illustrating portions of the carrying case with  
magnetic securing flap that form no part of the claimed  
design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D419,292 S *	1/2000	Barre	.....	D3/232
D727,617 S *	4/2015	Chehebar	.....	D3/233
2009/0208148 A1	8/2009	Doyle		
2011/0280499 A1	11/2011	Brundage		


**OTHER PUBLICATIONS**

Photos of Amphipod device.  
Photos of Roo Sport device.  
Photos of Pocket Plus device.

\* cited by examiner

*Primary Examiner* — Holly Baynham

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7