



US00D763025S

(12) **United States Design Patent**  
**Walter**

(10) **Patent No.:** **US D763,025 S**  
(45) **Date of Patent:** **\*\* Aug. 9, 2016**

(54) **DISPLAY EQUIPMENT**

(71) Applicant: **Visplay International AG**, MuttENZ,  
Birsfelden (CH)

(72) Inventor: **Herbert Walter**, Müllheim (DE)

(73) Assignee: **Visplay International AG**, MuttENZ  
(CH)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/547,940**

(22) Filed: **Dec. 9, 2015**

D335,623 S *	5/1993	Salrin	.....	D8/373
5,678,794 A *	10/1997	Kump	.....	A47F 5/0869 211/59.1
D420,838 S	2/2000	Riga	.....	
D510,855 S *	10/2005	Tipp	.....	D8/374
7,100,878 B2 *	9/2006	Shea	.....	A47F 5/0807 211/90.02
D661,309 S	6/2012	Murrer et al.	.....	
D679,209 S	4/2013	Reynolds et al.	.....	
D701,406 S	3/2014	Leyden	.....	
D710,363 S	8/2014	Wengreen	.....	
D722,488 S	2/2015	Lockwood et al.	.....	
D736,858 S	8/2015	McPhillips	.....	
9,138,078 B2 *	9/2015	Barkdoll	.....	A47F 5/0823
D742,726 S *	11/2015	Glass	.....	D8/367

**Related U.S. Application Data**

(62) Division of application No. 29/480,127, filed on Jan. 23, 2014.

**Foreign Application Priority Data**

Jul. 24, 2013 (WO) ..... DM/081410

(51) **LOC (10) Cl.** ..... **06-06**

(52) **U.S. Cl.**  
USPC ..... **D6/702**

(58) **Field of Classification Search**

USPC ..... D6/349, 355, 560, 657, 662.1, 672,  
D6/683.1, 675.1, 691.1, 675.3, 702

CPC ..... A47B 57/40; A47B 57/54  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,897,926 A *	8/1975	Silver	.....	A47F 5/0823 248/220.22
4,516,681 A *	5/1985	Jahel	.....	A47F 5/0823 211/104
4,619,428 A *	10/1986	Bailey	.....	A47F 5/0823 248/220.43
D300,003 S *	2/1989	Hutchison	.....	248/220.42
4,813,552 A *	3/1989	Walter	.....	A47F 5/08 211/105.1

**OTHER PUBLICATIONS**

Restriction Requirement mailed Oct. 5, 2015, issued in connection with U.S. Appl. No. 29/480,127 (6 pages).

\* cited by examiner

*Primary Examiner* — Kelley Donnelly

(74) *Attorney, Agent, or Firm* — McCarter & English, LLP

(57) **CLAIM**

The ornamental design for display equipment, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view from above with display equipment whose button is of a circular cross section, the button is pushed in, inserted into a panel and intended for combination with a carrying arm designated for being hooked into the button;


FIG. 2 shows the arrangement of FIG. 1 with the button pushed out;

FIG. 3 shows the arrangement of FIG. 2 from below;

FIG. 4 shows the arrangement of FIG. 2 with a carrying arm drawn towards the button; and,

FIG. 5 shows the arrangement of FIG. 4 with the carrying arm hooked into the button.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5