

US00D763087S

(12) **United States Design Patent**  
**Hirst**

(10) **Patent No.:** **US D763,087 S**

(45) **Date of Patent:** **\*\* Aug. 9, 2016**

(54) **BOTTLE**

(75) Inventor: **Kenneth Hirst**, New York, NY (US)

(73) Assignee: **BROWN-FORMAN FINLAND LTD.**,  
Helsinki (FI)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/419,457**

(22) Filed: **Apr. 27, 2012**

(51) **LOC (10) Cl.** ..... **09-01**

(52) **U.S. Cl.**

USPC ..... **D9/516; D9/500; D9/556**

(58) **Field of Classification Search**

USPC ..... D9/500, 516, 520, 537-540, 545, 546,  
D9/549, 550, 551, 554, 556, 558, 564,  
D9/502-505; 215/370-371, 381-385

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|               |         |               |       |          |
|---------------|---------|---------------|-------|----------|
| D13,323 S *   | 9/1882  | Winn          | ..... | D9/500   |
| D28,634 S *   | 5/1898  | Schilling     | ..... | D9/550   |
| D57,438 S *   | 3/1921  | Knowles       | ..... | D9/554   |
| D62,785 S     | 7/1923  | Marble        |       |          |
| D70,281 S *   | 6/1926  | Lents         | ..... | D9/538   |
| D75,426 S     | 6/1928  | Jasper        |       |          |
| D178,529 S    | 8/1956  | Lorenzen      |       |          |
| D227,557 S *  | 7/1973  | Bagguley      | ..... | D9/552 X |
| 3,871,541 A   | 3/1975  | Adomaitis     |       |          |
| D257,427 S *  | 10/1980 | Cooke et al.  | ..... | D9/538   |
| D291,283 S *  | 8/1987  | Taylor        | ..... | D9/571   |
| D292,371 S    | 10/1987 | Cooper        |       |          |
| D295,499 S *  | 5/1988  | LeFevre       | ..... | D9/556   |
| 5,201,438 A   | 4/1993  | Norwood       |       |          |
| D353,324 S    | 12/1994 | Rice, III     |       |          |
| 5,403,416 A   | 4/1995  | Bright et al. |       |          |
| D358,772 S *  | 5/1995  | Volk-Kete     | ..... | D9/556 X |
| 5,413,244 A * | 5/1995  | Ramsey        | ..... | 220/671  |
| D369,556 S    | 5/1996  | Lauder et al. |       |          |
| D370,634 S    | 6/1996  | Mero et al.   |       |          |
| D383,677 S    | 9/1997  | Darr          |       |          |

|              |         |                 |       |          |
|--------------|---------|-----------------|-------|----------|
| 5,735,421 A  | 4/1998  | Deemer et al.   |       |          |
| D395,826 S   | 7/1998  | Hygaard, Sr.    |       |          |
| D411,457 S   | 6/1999  | Ruda et al.     |       |          |
| D427,071 S   | 6/2000  | Williams et al. |       |          |
| D429,156 S   | 8/2000  | Williams et al. |       |          |
| D435,219 S   | 12/2000 | Williams et al. |       |          |
| D435,454 S * | 12/2000 | Munn et al.     | ..... | D9/556 X |
| D437,233 S * | 2/2001  | Gibert          | ..... | D9/569 X |
| D440,151 S   | 4/2001  | Carver et al.   |       |          |
| D442,493 S   | 5/2001  | Bretz et al.    |       |          |
| D443,519 S   | 6/2001  | Warner et al.   |       |          |
| D448,677 S   | 10/2001 | Krich           |       |          |

(Continued)

OTHER PUBLICATIONS

Southern Comfort 100-Proof Bottle manufactured by Brown-Forman Brands, from website <http://www.bing.com/images/search?q=old+southern+comfort+bottle&view=detail&id=BDE500221818385887A60A2ADB23DB147762B6A0&first=31&FORM=IDFRIR>, website published on Jul. 26, 2010.

Primary Examiner — Carol P Rademaker

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a bottle showing my new design;

FIG. 2 is a rear elevational view thereof;


FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof; and,

FIG. 5 is a top plan view thereof.

The dash-dash-dash-dash type broken lines shown in the drawing views are included for the purpose of illustrating portions of the design that form no part of the claimed design. The dash-dot-dash-dot type broken lines shown in the drawing views define the boundaries of the claimed design.

**1 Claim, 3 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

|              |         |                |          |                |         |                       |          |
|--------------|---------|----------------|----------|----------------|---------|-----------------------|----------|
| D467,804 S * | 12/2002 | Restrepo ..... | D9/558 X | D568,166 S     | 5/2008  | Dellevigne            |          |
| D469,697 S   | 2/2003  | Herrin et al.  |          | D570,224 S     | 6/2008  | Dellevigne            |          |
| 6,666,001 B2 | 12/2003 | Mero           |          | D571,668 S     | 6/2008  | Dellevigne            |          |
| D534,080 S   | 12/2006 | Mody et al.    |          | D581,803 S *   | 12/2008 | Lepoitevin .....      | D9/559 X |
| D538,671 S   | 3/2007  | O'Danahue      |          | D582,781 S     | 12/2008 | Miller                |          |
| D539,149 S   | 3/2007  | Koskinen       |          | D592,965 S *   | 5/2009  | Bradfield et al. .... | D9/551   |
| D548,104 S * | 8/2007  | Waldner .....  | D9/571   | D595,139 S *   | 6/2009  | Darr et al. ....      | D9/538   |
| D549,107 S   | 8/2007  | Bourne         |          | D595,584 S *   | 7/2009  | Yamamoto .....        | D9/529   |
| D551,986 S   | 10/2007 | Rubin et al.   |          | D608,652 S *   | 1/2010  | Eisen .....           | D9/546   |
| D552,996 S   | 10/2007 | Koskinen       |          | D609,104 S *   | 2/2010  | Ablo .....            | D9/552 X |
| D557,611 S   | 12/2007 | Ingemarsson    |          | D622,153 S     | 8/2010  | Smith                 |          |
| D558,055 S   | 12/2007 | Ingemarsson    |          | D622,613 S     | 8/2010  | Baron                 |          |
| D559,699 S   | 1/2008  | Dellevigne     |          | D628,081 S     | 11/2010 | Mondon                |          |
| D561,598 S   | 2/2008  | Dellevigne     |          | D630,519 S     | 1/2011  | Toms et al.           |          |
| D565,961 S   | 4/2008  | Dellevigne     |          | D653,949 S *   | 2/2012  | Tanaka et al. ....    | D9/551 X |
| D566,560 S   | 4/2008  | Trost          |          | D658,998 S *   | 5/2012  | Simmons et al. ....   | D9/504   |
| D566,561 S   | 4/2008  | Trost          |          | D661,198 S *   | 6/2012  | Duecker et al. ....   | D9/556   |
| D567,095 S   | 4/2008  | Miller         |          | D668,956 S *   | 10/2012 | Hirst .....           | D9/516   |
|              |         |                |          | 8,561,821 B2 * | 10/2013 | Harris et al. ....    | 215/381  |
|              |         |                |          | D693,694 S *   | 11/2013 | Makhsudova .....      | D9/571 X |

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5